CATALOGUE

OF THE

MOLLUSCA,

IN THE

COLLECTION

OF THE

GOVERNMENT CENTRAL MUSEUM, MADRAS.

Madras:
PRINTED AT THE ASYLUM PRESS, MOUNT ROAD,
BY WILLIAM THOMAS.
1867.

THIS Catalogue is published with the three-fold object of affording a guide to the collection; of making known its deficiencies (which are many,); and to show what the Museum has to offer in exchange for shells not yet in the collection.

Those species of which there are duplicates are marked with one, two, or three asterisks; the first indicates that the number is very limited; the second that it is greater; and the third that a considerable number is available for exchange.

Examples of shells not in this Catalogue will be thankfully received either as donations or in exchange.

J. MITCHELL, CAPTAIN,

Superintendent.

MADRAS, 15*th May* 1867.

M90616

UNIV. OF CALIFORNIA

CATALOGUE

OF THE

Mollusca,

IN THE COLLECTION OF

THE GOVERNMENT CENTRAL MUSEUM, MADRAS.

CLASS I.—CEPHALOPODA. *Cuvier*, 1798.

ORDER I.—DIBRANCHIATA. *Owen*, 1838.

SUB-ORDER I.—OCTOPODA. *Leach*, 1817.

FAMILY 1.—OCTOPIDÆ. *D'Orbigny*, 1837.

GENUS.—OCTOPUS. *Lamarck*, 1799.

1	O. aranea.	D'Orbigny.	Madras.	Young, in spirit.
2	O. Indicus.	Ruppell.	,,	Young, in spirit.

FAMILY 3.—ARGONAUTIDÆ. *Reeve*, 1841.

GENUS.—ARGONAUTA. *Linnæus*, 1758.

1	A. tuberculosa.	Lamarck.	Brazil.

SUB-ORDER 2.—DECAPODA. *Leach*, 1817.

FAMILY 8.—LOLIGIDÆ. *D'Orbigny*, 1837.

GENUS.—LOLIGO. *Lamarck*, 1799.

1	L. Duvaucellii.	D'Orbigny.	Madras.	Young, in spirit.

FAMILY 12.—SPIRULIDÆ. *D'Orbigny*, 1837.

GENUS.—SPIRULA. *Lamarck*, 1799.

1	S. Peronii.	Lamarck.	Indian Seas.*

ORDER 2.—TETRABRANCHIATA. *Owen*, 1838.

FAMILY.—NAUTILIDÆ. *Owen*, 1838.

GENUS.—NAUTILUS. *Linnæus*, 1757.

1	N. Pompilius.	Linnæus.	*a* Indian Archipelago.*	
			b Port Blair, Andamans.	Lt. McGoun.
2	N. stenomphalus.	Sowerby.	,,	Dr. Gamach.

Class II.—PTEROPODA. *Cuvier*, 1804.

Family 1.—HYALIDÆ. *D'Orbigny*, 1837.

Genus.—HYALÆA. *Lamarck*, 1799.

1 H. gibbosa.	Rang.	Hab. ?
2 H. inflexa.	Lesueur.	„
3 H. labiata.	Rang.	„
4 H. tridentata.	Lamarck.	Mediterranean & Indian Seas.
5 H. uncinata	Rang.	Hab. ?

Genus.—DIACRIA. *Gray*, 1840.

1 D. trispinosa	Lesueur.	Straits of Gibraltar.

Genus.—CLEODORA. *Peron and Lesueur*, 1810.

1 C. obtusa.	Quoy.	Hab. ?
2 C. pyramidata.	Lamarck.	American Seas.
3 C. spinifera.	Rang.	Indian and European Oceans.

Class III.—HETEROPODA. *Lamarck*, 1812.

Family 1—IANTHINÆ. *Lamarck*, 1812.

Genus.—IANTHINA. *Bolten*, 1798.

1 I. africana.	Reeve.	Madras Coast.*
2 I. fragilis.	Lamarck.	West Indies.
3 I. globosa.	Swainson.	Hab. ?
4 I. iricolor.	Reeve.	Madras.

Family 4.—FIROLIDÆ.

Genus.—CARINARIA. *Lamarck*, 1801.

1 C. fragilis.	Bory de St. Vincent.	Mediterranean.

Class IV.—GASTEROPODA. *Cuvier*, 1798.

Sub-Class 1.—PROSOBRANCHIATA. *Milne Edwards*, 1848.

Order I.—PECTINIBRANCHIATA. *Cuvier*, 1817.

Sub-order 1.—PROBOSCIDIFERA. *H. and A. Adams*, 1853.

Family 1—MURICIDÆ. *Fleming*, 1828.

Sub-Family 1.—MURICINÆ. *H. and A. Adams.*

Genus.—MUREX. *Linnæus*, 1758.

1 M. adustus.	Lamarck.	*a* Philippines and Ceylon.	
		b Port Blair, Andamans.	
2 M. affinis.	Reeve.	Pacific Ocean.	Sir W. Denison.
3 M. anguliferus.	Lamarck.	*a* Ceylon.	
	var. entirely brown.	*b* ,,	
		c Madras.	
4 M. brassica.	Lamarck.	Gulf of California.	
5 M. erinaceus.	Linnæus.	Mediterranean and British Coasts.	
6 M. fiscellum.	Chemnitz.	Philippines.	
7 M. haustellum.	Linnæus.	Ceylon.*	
8 M. inconspicuus.	Sowerby.	English Channel.	
9 M. Martinianus.	Reeve.	Port Blair, Andamans.	Dr. Gamach.
10 M. maurus.	Broderip.	Port Blair, Andamans.	,,
11 M. nigrispinosus.	Reeve.	Port Blair, Andamans. Singapore.	,,
12 M. palma-rosæ.	Lamarck.	Ceylon.	
13 M. pinnatus.	Wood.	China.	
14 M. ramosus.	Linnæus.	*a* Port Blair, Andamans.	Captain W. H. Edgcome.
		b Nassibe.	Sir W. Denison.
		c Young-shell, Eastern seas.	
15 M. regius.	Wood.	Pacific Ocean.	
16 M. salebrosus.	King.	California.	
17 M. ternispina.	Lamarck.	*a* Philippines.*	
		b Madras.*	
18 M. tenuispina.	,,	Trincomallee.	
19 M. tribulus.	Linnæus.	Vizagapatam.	Major Fraser.
20 M. triqueter.	Born.	Port Blair, Andamans.	Dr. Walters.
21 M. truncatus.	?	Toulon.	M. Robillard.
22 M. trunculus.	Linnæus.	Black Sea.	

SUB-FAMILY 2.—FUSINÆ. *H. and A. Adams*, 1853.

GENUS.—FUSUS. *Lamarck*, 1799.

1 F. colus.	Lamarck.	*a* Ceylon.	
		b Madras.	

2 F. corneus.	Deshayes.	British Seas.
3 F. laticostatus.	,,	Ceylon.
4 F. longicauda.	Bory.	Vizagapatam.
5 F. multicarinatus.	Lamarck.	Red Sea.
6 F. proboscidiformis.	,,	New Holland.

GENUS.—PYRULA.

1 P. bezoar.	Lamarck.	Hab. ?
2 P. bucephala.	,,	Mexico.
3 P. bulbosa.	Solander.	*a* Eastern Seas.
		b do.
4 P. cochlidium.	Linnæus.	*a* Torres Straits.
		b do.
5 P. galeodes.	Lamarck.	Philippines, &c.
6 P. melongena.	,,	*a* West Indies and Eastern Seas.
		b do.
7 P. Paradisiaca.	Reeve.	*a* Ceylon, &c.
		b do.
8 P. pugilina.	Born.	Negapatam.
9 P. spirillus.	Lamarck.	Eastern Seas.

SUB-GENUS.—CYRTULUS. *Hinds*, 1843.

1 C. serotinus.	Hinds.	Marquesas.

FAMILY 2.—PLEUROTOMIDÆ. *H. and A. Adams.*

SUB-FAMILY 1.—PLEUROTOMINÆ. *Swainson*, 1840.

GENUS.—PLEUROTOMA. *Lamarck*, 1799.

1 P. crenularis.	Lamarck.	Tranquebar.
2 P. grandis.	Gray.	Indian & Chinese Seas.
3 P. Javana.	DeRoissy.	*a* Madras.*
		b Vizagapatam.
4 P. marmorata.	Lamarck.	Malacca.
5 P. nodifera.	,,	Madras.*
6 P. virginea.	Beck.	Mouth of the Gambia.

FAMILY 3.—TRITONIIDÆ. *H. and A. Adams.*

GENUS.—TRITON. *Lamarck*, 1822.

1 T. ægrotus.	Reeve.	China.	
2 T. aquatilis.	,,	Philippines.	
3 T. bracteatus.	Hinds.	Kingsmill Island.	M. Robillard.
4 T. chlorostoma.	Lamarck.	Pacific Ocean.	

5	T. cingulatus.	Pfeiffer.	*a* Philippines.	
			b Madras Coast.	
6	T. clandestinus.	Lamarck.	Ceylon.	
7	T. clavator.	,,	Philippines.	
8	T. decipiens.	Reeve.	*a* ,,	
			b Madras Coast.	
			c Vizagapatam.	
9	T. doliarius.	Lamarck.	Cape of Good Hope.	
10	T. lampas.	,,	Philippines.	
11	T. lotorium.	,,	Ceylon.	
12	T. Pfeifferianus.	Reeve.	,,	
13	T. pilearis.	Lamarck.	The Antilles.*	
14	T. reticulatus.	DeBlainville.	Mediterranean.	
15	T. retusus.	Lamarck.	Ceylon.	
16	T. rubecula.	,,	Philippines.	
17	T. tuberosus.	,,	Pacific Ocean.	
18	T. variegatus.	,,	Eastern Seas.	
19	T. vespaceus.	,,	New Holland.	

Genus.—PERSONA. *Montfort*, 1810.

1	P. anus.	Lamarck.	Ceylon.	

Genus.—RANELLA. *Lamarck*, 1812.

1	R. albovaricosa.	Reeve.	Ceylon.	
2	R. bitubercularis.	Lamarck.	Philippines.	
3	R. bufonia.	,,	,,	
4	R. foliata.	Broderip.	*a* Mauritius.	
			b Madras Coast.*	
5	R. granifera.	Lamarck.	*a* Philippines.	
			b Madras Coast.*	
			c Port Blair, Andamans.	
6	R. gyrinus.	Deshayes.	Mediterranean and Eastern Seas.	
7	R. margaritula.	Deshayes.	Indian Seas.	
8	R. spinosa.	Lamarck.	*a* Ceylon.*	
			b Madras Coast.*	
9	R. subgranosa.	Beck.	Bay of Manilla.	
10	R. tuberculata.	Broderip.	*a* Malacca.	
			b Vizagapatam.*	
			c Port Blair, Andamans.	Dr. Walters.
11	R. tuberosissima.	Reeve.	Philippine Islands.	

Family 4.—BUCCINIDÆ.

Genus.—BUCCINUM. *Linnæus*, 1767.

1	B. aciculatum.	Lamarck.	Martinique.	
2	B. anomalum.	Reeve.	Hab. ?	
3	B. balteatum ?	,,	Torres Straits.	
4	B. cingillum ?	,,	Hab. ?	
5	B. dentiferum.	Powis	Coast of Chili.	
6	B. erythrostoma.	Reeve.	Madras.*	
7	B. melanostoma.	Sowerby.	Ceylon.	
8	B. obscurum. ?	Kiener.	Coast of Chili.	
9	B. obsoletum.	Say.	Hab. ?*	
10	B. plicosum.	Menke.	,,	
11	B. proteus.	Reeve.	Ceylon & Philippines.	
12	B. rubiginosum.	,,	Red Sea.	
13	B. sericatum ?	Hancock.	Port Blair, Andamans.	Dr. Walters.
14	B. sertum ?	Bruguière.	,,	,,
15	B. Tranquebaricum.	Martini.	Tranquebar.	
16	B. Tritonoides.	Cuming.	Port Blair, Andamans.	Dr. Gamach.
17	B. trivittatus.	Say.	Hab. ?	-
18	B. undatum.	Lamarck.	Atlantic Ocean.	
19	B. undosum.	Linnæus.	*a* Tahiti.	M. Robillard.
			b Straits of Malacca.	

Genus.—BULLIA. *Gray*, 1835.

1	B. belangeri.	Kiener.	Madras.* * *
2	B. livida.	Reeve.	,, * * *
3	B. mauritiana.	Gray.	Madagascar.
4	B. vittata.	Linnæus.	*a* Trincomallee.* *
			b Madras.* * *

Genus.—PHOS. *DeMontfort*, 1810.

1	P. senticosus.	DeMontfort.	Philippines.

Genus.—CYLLENE. *Gray*, 1833.

1	C. fuscata.		China Seas.

Genus —NASSA. *Lamarck*, 1799.

1	N. arcularia.	Linnæus.	Philippines.* *	
2	N. Bronni.	Philippi.	Java.	
3	N. callospira.	A. Adams.	Philippines.*	
4	N. collaria.	Gould.	*a* Panama. *b* Madras.*	
5	N. coromandel.	? Blanford.	Pulicat lake, and Adyar, Madras.*	
6	N. coronata.	Lamarck.	Madagascar.	
7	N. crenulata.	Bruguière.	*a* Philippines. *b* Madras.*	
8	N. gaudiosa, var.	Hinds.	Kingsmill Island.	Sir W. Denison.
9	N. gemmulata.	Lamarck.	Philippines.	
10	N. globosa.	Quoy & Gaimard.	New Ireland, &c.	
11	N. granifera.	Kiener.	Society Islands.	Sir W. Denison.
12	N. incrassata.	Müller.	British Seas.	
13	N. labida.	Reeve.	Hab. ?	
14	N. olivacea.	Bruguière.	*a* West Indies. *b* Port Blair, Andamans.*	
15	N. ornata.	Kiener.	Ceylon.	
16	N. papillosa.	Linnæus.	Port Blair, Andamans.	Dr. Walters.
17	N. planicostata.	A. Adams.	Labuan.	
18	N. pulla.	Linnæus.	Philippines.	
19	N. pygmea.	?	Hab. ?	
20	N. retecosa.	A. Adams.	Labuan.*	
21	N. reticulata.	Linnæus.	British Seas.*	
22	N. seminodoso.	A. Adams.	South Seas.	
23	N. suturalis.	Lamarck.	Madras Coast.	
24	N. Thersites.	Bruguière.	Philippines.*	

Genus.—EBURNA. *Lamarck*, 1801.

1	E. spirata.	Lamarck.	*a* Ceylon.* *b* Madras.**	Dr. W. Traill. Dr. A. Hunter.
2	E. zeylanica.	„	*a* Ceylon.* *b* Madras.*	Dr. W. Traill.

Family 6.—PURPURIDÆ.

Genus. PURPURA. *Bruguière*, 1789.

1	P. armigera.	Lamarck.	Reunion.	M. Robillard.
2	P. bituberculatis.	„	Philippine Islands.	

3 P. bufo.	Lamarck.	*a* Madras* *	Miss Mitchell.
		b Pulicat lake* *	
4 P. carinifera.	,,	Hab. ?*	
5 P. chocolatum.	Duclos.	Peru.	
6 P. echinata.	DeBlainville.	Hab. ?	
7 P. echinulata.	Lamarck.	Philippines.	
8 P. hippocastanum.	Linnæus.	Eastern Seas.*	
9 P. hystrix.	Lamarck.	Radock Island.	SirW.Denison.
10 P. imperialis, (young.)	DeBlainville.	Hab. ?	
11 P. inerma.	Reeve.	St. Thomas', West Indies.	
12 P. lapillus.	Linnæus.	*a* Shores of Europe.*	
		b Britain.	
13 P. madreporum.	?	Reunion.	M. Robillard.
14 P. mancinella.	Linnæus.	Philippines.	
15 P. muricina.	DeBlainville.	,,	
16 P. musiva.	Kiener.	,,	
17 P. patula.	Linnæus.	,,	
18 P. persica.	Lamarck.	Moulmein.	
19 P. pica.	DeBlainville.	*a* Ceylon.	SirW.Denison.
		b Port Blair, Andamans.	Capt.Edgcome
20 P. Rudolphi.	Lamarck.	*a* Philippines.	
		b Andamans.	Lieut.McGoun.
		c Madras.*	
21 P. sacellum.	Chemnitz.	Sadras Coast.	
22 P. trigona.	Reeve.	China & Malacca.	

GENUS.—RICINULA. *Lamarck*, 1812.

1 R. arachnoides.	Lamarck.	Philippines.*	
2 R. aspera.	,,	*a* ,,	
		b Vizagapatam.	
3 R. cancellata.	?	Reunion.	M. Robillard.
4 R. clathrata.	Lamarck.	Elizabeth Island.	
5 R. horrida.	,,	*a* Philippines.*	
		b Port Blair, Andamans.	Dr. Gamach.
6 R. morus. ?	,,	Sandwich Islands, (young.)	M. Robillard.
7 R. mutica.	,,	Island of Reunion.	,,

8 R. spectrum ?	Reeve.	*a* Reunion.	M. Robillard.
		b Mauritius.	,,
9 R. tuberculata.	DeBlainville.	*a* Lord Hood's Island.	
		b Vizagapatam.	SirW.Denison.**

SUB-GENUS.—MORULA. *Schumacher*, 1817.

1 M. bituberculata.	?	Philippines.	

GENUS.—MONOCEROS. *Lamarck*, 1809.

1 M. cornigera.	?	California.	M. Robillard.
2 M. lugubris.	Sowerby.	Nootka Sound.	

GENUS.—CONCHOLEPAS. *Lamarck*, 1801.

1 C. peruvianus.	Lamarck.	Coast of Peru.	

FAMILY 7.—CORALLIOPHILIDÆ.

GENUS.—LEPTOCONCHUS. *Ruppel*, 1834.

1 L. ellipticus.	?	Japan.	

GENUS.—MAGILUS. *Montfort*, 1810.

1 M. antiquus.	Lamarck.	*a* Red Sea.	
		b Port Blair Andamans.	Dr. Walters.

FAMILY 8.—OLIVIDÆ.

GENUS.—OLIVA. *Bruguière*, 1789.

1 O. angulata.	Chemnitz.	Lower California.	SirW.Denison.
2 O. cruenta.	Dillwyn.	*a* Zanzibar.	
		b Port Blair, Andamans.	
3 O. elegans.	Lamarck.	Feejee Islands.	
4 O. erythrostoma.	,,	South of the Cape of Good Hope.	
5 O. fimbriata.	Reeve.	West Indies.*	
6 O. gibbosa.	Born.	*a* Ceylon.* * *	
		b Madras Coast.*	
7 O. inflata.	Lamarck.	Zanzibar.	
8 O. irisans.	,,	*a* Mauritius.*	
		b Port Blair, Andamans.	Dr. Gamach.
9 O. ispidula.	Linnæus.	*a* Philippines.* *	
		b Port Blair, Andamans.	Dr. Walters.*
		c Madras Coast.	Surgeon E. Balfour.**

10 O. ligneola.	Reeve.	Hab. ?	
11 O. maura.	Lamarck.	*a* Labuan.*	
		b Port Blair, Andamans.	Dr. Gamach.**
12 O. mustelina.	,,	Singapore.	
13 O. mutica.	Say.	West Indies.	
14 O. nebulosa.	Lamarck.	Hab. ?	
15 O. oryza.	,,	West Indies.	Dr. W. Traill.
16 O. peruviana.	,,	Coast of Peru.	
17 O. ponderso.	Duclos.	Mauritius.	
18 O. porphyria.	Linnæus.	Panama.	
19 O. reticularis.	Lamarck.	*a* Gulf of California.	
		b Guayra.	
20 O. splendidula.	Sowerby.	Island of Tobago.	
21 O. textilina.	Lamarck.	Philippines.*	
22 O. tremulina.	,,	Mauritius.	
23 O. tricolor.	,,	,,	
24 O. volutella.	,,	Panama.	
25 O. zonalis.	,,	Mexico.	

GENUS.—ANCILLARIA. *Lamarck*, 1811.

1 A. ampla.	Gmelin.	Madras.* *
2 A. glabrata.	Swainson.	Gulf of Mexico.
3 A. torosa.	Meuschen.	Isle of St. Maurice.

FAMILY 9.—FASCIOLARIIDÆ.

GENUS.—FASCIOLARIA. *Lamarck*, 1799.

1 F. filamentosa.	Lamarck.	*a* Ceylon.*	
		b Andamans.	Lieut. McGoun.
2 F. persica.	Reeve.	Hab. ?*	
3 F. trapezium.	Lamarck.	*a* Philippines.	
		b Port Blair, Andamans.	Dr. Walters.
		c Mauritius.	M. Robillard.

FAMILY 10.—TURBINELLIDÆ.

GENUS—TURBINELLA. *Lamarck*, 1799.

1 T. candelabrum.	Reeve.	Hab. ?	
2 T. cornigera.	Lamarck.	*a* Moluccas.*	
		b Radock Island.	Sir W. Denison
3 T. gibbula.	Deshayes.	New Holland.	
4 T. polygona.	Lamarck.	Philippines.	

5 T. pyrum.	Lamarck.	*a* Ceylon. *b* Madras.	
6 T. rapa.	„	Hab. ?*	
7 T. smaragdulus.	Deshayes.	Andamans.	Lieut. McGoun

FAMILY 11.—VOLUTIDÆ.

GENUS.—VOLUTA. *Lamarck*, 1802.

1 V. Elliotti.	Sowerby.	W. Australia.	Sir W. Denison.
2 V. imperialis.	Lamarck.	Philippines.	
3 V. interpuncta.	Martyn.	Ceylon.	
4 V. musica.	Linnæus.	W. Indies.	
5 V. rupestris.	Gmelin.	China.	
6 V. scapha.	„	Singapore.	
7 V. undulata.	Lamarck.	Tasmania.	
8 V. vespertilio.	Linnæus.	Philippines.	
9 V. vexillum.	Chemnitz.	Ceylon.	

GENUS.—CYMBIUM. *Klein*, 1753.

1 C. Indica.	Gmelin.	Eastern Seas.*	
2 C. diadema ?	Lamarck.	Rogers Straits.	Sir W. Denison.

GENUS.—MITRA. *Lamarck*, 1799.

1 M. acuminata.	Swainson.	Caroline Isle.	M. Robillard.
2 M. adusta.	Lamarck.	Island of Annaa.	
3 M. amphorella.	„	Labuan.	
4 M. caffra.	„	Philippines.	
5 M. cinctella.	„	Moluccas.	
6 M. coniformis.	?	Tahiti.	M. Robillard.
7 M. corrugata.	Lamarck.	Labuan.	
8 M. crebrilirata.	Reeve.	Ceylon.	Sir W. Denison.
9 M. crenulata.	Lamarck.	Port Blair, Andamans.	Dr. Gamach.
10 M. cucumerina.	„	Sandwich Islands.	M. Robillard.
11 M. digitalis.	Chemnitz.	Port Blair, Andamans.	Dr. Walters.
12 M. episcopalis.	D'Argenville.	Ceylon.	
13 M. ferruginea.	Lamarck.	Sandwich Islands.	M. Robillard.
14 M. filosa.	„	Tahiti.	Sir W. Denison.
15 M. filum.	Wood.	Seychelle Islands.	M. Robillard.
16 M. inquinata.	Reeve.	Hab. ?	?
17 M. literata.	Lamarck.	Howland Isles.	M. Robillard.
18 M. melongena.	„	Singapore.	
19 M. papalis.	„	Island of Annaa.	
20 M. paupercula.	„	Kingsmill Island.	M. Robillard.

21	M. plicata.	Klein.	Labuan.	
22	M. pontificalis.	Lamarck.	Island of Annaa.	
23	M. sphærulata.	Martyn.	Philippines.	
24	M. stigmataria.	Lamarck.	Mauritius.	
25	M. vulpecula, var.	,,	Labuan.	

GENUS.—MARGINELLA. *Lamarck*, 1799.

1	M. angustata, var.	Sowerby.	Indian Ocean.	
2	M. cornea.	Lamarck.	Senegal, W. Africa.	
3	M. cylindracea.	?	Sandwich Islands.	M. Robillard.
4	M. prunum.	Gmelin.	*a* Panama.	
			b Senegal.	
5	M. quinqueplicata.	Lamarck.	Indian Ocean.*	

GENUS.—ERATO. *Risso*, 1826.

1	E. Maugeriæ.	Gray.	Panama.	

FAMILY 2.—COLUMBELLINÆ.

GENUS.—COLUMBELLA. *Lamarck*, 1799.

1	C. avara.	Say.	Bay of Massachusetts.	
2	C. discors.	Gmelin.	Philippines.	
3	C. Duclosiana.	Sowerby.	Malacca.	
4	C. flava.	Bruguière.	Hab. ?	
5	C. fulgurans.	Lamarck.	Philippines.	
6	C. lævigata.	Linnæus.	Ceylon.	Dr. W. Traill.
7	C. mendicaria.	Lamarck.	*a* Indian Seas.	
			b Port Blair, Andamans.	Dr. Walters.
8	C. mercatoria.	Linnæus.	West Indies.	
9	C. nitida.	Lamarck.	,,	
10	C. pardalina.	,,	Philippines.	
11	C. rustica.	Linnæus.	Dalmatia.	
12	C. tæniata. ?	Adams and Reeve	Borneo.*	
13	C. Terpsichore.	Sowerby.	*a* Ceylon.* *	
			b Northern Circars.	Sir W. Denison.
14	C. varians.	,,	Tahiti.	M. Robillard.
15	C. versicolor.	,,	Philippines.	

FAMILY 13.—HARPIDÆ.

GENUS.—HARPA. *Lamarck*, 1799.

1	H. minor.	Rumphius.	*a* Philippines.	
			b Port Blair, Andamans.	Dr. Walters.

2 H. nobilis.	Rumphius.	Philippines.	
3 H. ventricosa.	Lamarck.	Mauritius.* *	

FAMILY 14.—CASSIDIDÆ.

GENUS.—CASSIS. *Lamarck*, 1799.

1 C. areola.	Lamarck.	*a* Island of Negros, Philippines.	
		b Madras Coast. *	
2 C. canaliculata.	„	*a* Philippine Islands.	
		b Madras Coast. *	
3 C. cornuta.	„	Moluccas, &c.	
4 C. decussata.	„	Singapore.	
5 C. glauca.	„	Philippines.*	
6 C. pila.	Reeve.	China.	
7 C. rufa.	Lamarck.	Moluccas.*	
8 C. torquata.	Reeve.	New Holland.	
9 C. vibex.	Lamarck.	Port Blair, Andamans.	Dr. Walters.

GENUS.—CASSIDARIA. *Lamarck*, 1812.

1 C. echinophora.	Lamarck.	Sicily.	

GENUS.—ONISCIA. *Sowerby*, 1825.

1 O. cancellata.	Sowerby.	China Seas.	

FAMILY 15.—DOLIIDÆ

GENUS.—DOLIUM. *Lamarck*, 1801.

1 D. Chinense.	Deshayes.	China Seas.	
2 D. costatum.	„	Ceylon.	Sir W. Denison.
3 D. fasciatum.	Lamarck.	*a* Philippine Ilds.	
		b Madras Coast and Ceylon.*	
4 D. fimbriatum.	Sowerby.	Philippines.	
5 D. maculatum.	Lamarck.	Eastern Seas.* *	
6 D. olearium.	„	Ceylon.	
7 D. perdix.	„	Eastern Seas.*	
8 D. pomum.	„	*a* Philippines and Ceylon.	
		b Port Blair, Andamans.	
9 D. variegatum.	Lamarck.	New Holland.	

GENUS.—FICULA. *Swainson*, 1835.

1 F. decussata.	Wood.	Hab. ?	

2	F. Dussumieri.	Valenciennes	China.	
3	F. lævigata.	Linnæus.	Eastern Seas.*	
4	F. reticulata.	Lamarck.	*a* Sooloo Sea. Borneo.	
			b Negapatam.*	

FAMILY 16.—VELUTINIDÆ. *H. and A. Adams.*

GENUS.—VELUTINA. *Blainville*, 1819.

1	V. lævigata.	Fleming.	West of England.

FAMILY 17.—NATICIDÆ.

GENUS.—NATICA. *Adamson*, 1757.

1	N. ala-papilionis.	Chemnitz.	Philippines.*	
2	N. albumen.	Lamarck.	Ceylon.	Sir W. Denison.
3	N. aurantia.	,,	Philippines.	
4	N. Campeachiensis.	Récluz.	Campeachy Bay.	
5	N. Chinensis.	Lamarck.	China and Philippine Islands.	
6	N. columnaris.	Récluz.	Philippines.	
7	N. fluctuata.	Sowerby.	,,	
8	N. glauca.	Humboldt.	West Columbia.*	
9	N. globosa.	Chemnitz.	Singapore.	
10	N. lineata.	Lamarck.	*a* Singapore.	
			b Madras.*	
11	N. maculosa.	,,	Singapore.	
12	N. mamilla.	,,	*a* Philippines.*	
			b Port Blair, Andamans.	Capt. Edgcome.
13	N. Marochiensis.	,,	West Indies.	
14	N. melanostoma.	,,	Seychelle Islands	
15	N. monilifera.	,,	European Seas.	
16	N. picta.	Récluz.	Philippines.	Sir W. Denison.
17	N. plumbea.	Lamarck.	Brisbane Water, East Coast of Australia.	
18	N. Raynaudiana.	Récluz.	Ceylon.	Sir W. Denison.
19	N. rufa.	Lamarck.	,,	,,
20	N. simiæ.	Deshayes.	Philippines.	
21	N. tincturata	Reeve.	Madras Coast.	
22	N. triseriata.	Say.	Massachusetts Bay.	
23	N. Zanzibarica.	Récluz.	Thorn.	

Genus.—SIGARETUS. *Lamarck*, 1801.

1 S. concavus.	Lamarck.	Bay of Callao, Peru.	
2 S. Neritoideus.	Linnæus.	*a* Vizagapatam.	Major Frazer.
		b West Indies ?*	

Family 18.—SCALARIDÆ.

Genus.—SCALARIA. *Lamarck*, 1801.

1 S. lamelloso.	Lamarck.	Mediterranean Sea.	

Family 19.—TEREBRIDÆ.

Genus.—TEREBRA. *Bruguière*, 1789.

2 T. affinis.	Gray.	Island of Radock.	M. Robillard.
3 T. chlorata	Lamarck.	*a* Island of Radock.	M. Robillard.
		b ,,	SirW.Denison.
4 T. cingula.	Kiener.	West Indies.	
5 T. cingulifera.	Lamarck.	Philippines.	
6 T. crenulata.	Linnæus.	*a* Moluccas.	
		b Pacific Ocean.	SirW.Denison.
7 T. dimidiata.	,,	Society Islands.*	
8 T. duplicata.	,,	Zanzibar.*	
9 T. maculata.	,,	Society Islands.	
10 T. muscaria.	Lamarck.	Philippines.	
11 T. myuros.	,,	*a* Moluccas, &c.	
		b Madras Coast*	
12 T. oculata.	,,	Pacific Ocean.	SirW.Denison.
13 T. strigata.	Sowerby.	Panama, &c.	
14 T. strigilata.	Linnæus.	Philippines.	
15 T. subulata.	,,	*a* Society Islands.	
		b Port Blair, Andamans.	Dr. Walters.
16 T. tigrina.	Gmelin.	Island of Radock.	M. Robillard.
71 T. Traillii.	Deshayes.	*a* Vizagapatam.	Major Fraser.
		b ,,	SirW.Denison.

Family 20.—PUSIONELLIDÆ. *Gray*, 1857.

Genus.—PUSIONELLA. *Gray*, 1850.

1 P. rapulum.	Reeve.	Malacca.	

Family 21.—PYRAMIDELLIDÆ.

Genus.—PYRAMIDELLA. *Lamarck*, 1796.

1 P. cincta.	Reeve.	Philippines.	
2 P. punctata.	Chemnitz.	Moluccas.	
3 P. terebellum.	Lamarck.	West Indies.	Dr. W. Traill.

Genus.—RINGICULA. *Deshayes*, 1838.

1 R. caron.		Philippines.	

Genus.—CHEMNITZIA. *D'Orbigny*, 1839.

1 C. rufa.		Britain.	

Genus.—ODOSTÓMIA. *Fleming*, 1848.

1 O. conoides.		Britain.	
2 O. unidentata.	Fleming.	Loch Fine.	

Genus.—MONOPTYGMA. *Lea*, 1833.

1 M. striata.	?	Japan.	

Family 22.—EULIMIDÆ. *H. and A. Adams*, 1854.

Genus.—EULIMA. *Risso*, 1826.

1 E. distorta.	Deshayes.	European Ocean.	
2 E. polita.	Linnæus.	,,	

Family 23.—STYLIFERIDÆ.

Genus.—STYLIFER. *Broderip*, 1832.

1 S. Turtoni.	Broderip.	Britain.	

Family 25.—SOLARIIDÆ.

Genus.—SOLARIUM. *Lamarck*, 1799.

1 S. lævigatum.	Lamarck.	Madras Coast.*	
2 S. maximum.	Philippi.	Java & Ceylon.*	
3 S. perspectivum.	Lamarck.	Indian Ocean.*	
4 S. stramineum.	,,	Covalum, near Madras.	

Sub-Order 2.—TOXIFERA. *Gray*.

Family 27.—CONIDÆ. *H. and A. Adams*.

Genus.—CONUS. *Linnæus*, 1758.

1 C. achatinus.	Chemnitz.	Indian Ocean.	
2 C. acuminatus.	Hwass.	Red Sea.	
3 C. amadis.	Martini	Ceylon.*	
4 C. araneosus.	Hwass.	*a* ,,	
		b Port Blair, Andamans.	Capt. Edgcome.
5 C. arenatus.	,,	Ceylon.	
6 C. augur.	,,	,, &c.	
7 C. aulicus.	Linnæus.	,,	
8 C. betulinus.	,,	,, *	

9	C. capitaneus.	Linnæus.	*a* Asiatic Seas.	
			b Port Blair, Andamans.	Dr. Gamach.
10	C. catus.	Hwass.	,,	,,
11	C. consors.	Sowerby.	Ceylon.	
12	C. distans.	Hwass.	Reunion.	M. Robillard.
13	C. eburneus.	,,	Ceylon.	
14	C. episcopus.	Lamarck.	*a* ,,	
			b Port Blair, Andamans.	Dr. Gamach.
15	C. figulinus.	Linnæus.	*a* Ceylon*	
			b Madras.*	
16	C. flavidus.	Lamarck.	Kingsmill Island.	M. Robillard.
17	C. generalis.	Linnæus.	Ceylon.	
18	C. geographus.	,,	*a* Mauritius, &c.	
			b Port Blair, Andamans.	Capt. Edgcome.
19	C. glans.	Hwass.	Philippines.	
20	C. gubernator.	,,	Diego.	M. Robillard.
21	C. hebræus.	Linnæus.	*a* Ceylon.	
			b Port Blair, Andamans.	Capt. Edgcome.
22	C. imperialis	Linnæus.	Philippines.	
23	C. interruptus.	Broderip and Sowerby.	Pacific Ocean.	
24	C. literatus	Linnæus.	*a* Ceylon.	
			b Andamans.	Lt. McGoun.
25	C lividus.	Hwass.	Society Islds.*	
26	C. magus.	Linnæus.	Philippines.	
27	C. mallaccanus.	Lamarck.	Hab. ?	
28	C. marmoreus.	Linnæus.	Ceylon, &c.	Sir W. Denison.
29	C. miles.	,,	*a* ,,	
			b Port Blair, Andamans.	Dr. Walters.
30	C. miliaris.	Hwass.	China.	
31	C. millepunctatus	Lamarck.	Island of Annaa.	
32	C. minimus.	Linnæus.	Sandwich Islands	Sir W. Denison.
33	C. mitratus.	Hwass.	Port Blair, Andamans.	Dr. Gamach.
34	C. monile.	,,	Ceylon.*	
35	C. mustellinus.	,,	Isld. of Bohol, &c.	

36 C. nussatella.	Linnæus.	*a* Philippines.	
		b Port Blair, Andamans.	Capt. Edgcome.
37 C. obesus.	Hwass.	Ceylon.*	
38 C. obscurus.	Humphreys.	*a* Philippines.	
		b Port Blair, Andamans.	
39 C. papilionaceus.	Hwass.	Mouth of the Gambia.	
40 C. pulicarius.	„	Moluccas.	
41 C. punctatus.	Chemnitz.	Vizagapatam.	Sir W. Denison.
42 C. quercinus.	Hwass.	Ceylon.	
43 C. regularis.	Sowerby.	Gulf of Nicoya, &c.	
44 C. sponsalis.	?	Kingsmill Island.	M. Robillard.
45 C. striatus.	Linnæus.	*a* Ceylon.*	
		b Port Blair, Andamans.	
46 C. sulcatus.	Hwass.	China.	
47 C. Taheitensis.	„	Tahiti.	M. Robillard.
48 C. terebellum.	Martini.	Philippines.	
49 C. terminus.	Lamarck.	Ceylon.	
50 C. tessellatus.	Born.	„ *	
51 C. textile.	Linnæus.	*a* „	
		b Andamans.	Capt. Edgcome.
		c „	Lt. McGoun.
52 C. tulipa.	Linnæus.	Island of Annaa.	
53 C. vermiculatus.	?	Reunion.	M. Robillard.
54 C. vexillum.	Martini.	Philippines.	
55 C. virgo.	Linnæus.	Ceylon, &c.*	
56 C. viridulus.	Lamarck.	„	Sir W. Denison.
57 C. vitulinus.	Hwass.	Tahiti.	„
58 C. zonatus.	„	Eastern Ocean.	

Sub-Order 3.—ROSTRIFERA. *Gray.*

Family 28.—STROMBIDÆ. *D'Orbigny.*

Genus.—STROMBUS. *Linnæus*, 1740.

1 S. auris, Dianæ	Linnæus.	Ind. Archipelago.	
2 S. australis.	Sowerby.	W. Australia.	Sir W. Denison.
3 S. canarium.	Linnæus.	*a* Ceylon.*	
		b Labuan.	
4 S. dentatus.	„	Indian Seas.	

5 S. elegans.	Sowerby.	Burmah.	
6 S. epidromus.	Linnæus.	Philippines.	
7 S. floridus.	Lamarck.	*a* Seychelle Islds.	
		b Mauritius.	
8 S. gibberulus.	Linnæus.	*a* Philippines.	
		b Port Blair, Andamans.	Dr. Walters.
		c Isld. of Radock.	Sir W. Denison.
9 S. gigas.	Linnæus.	The Antilles.	
10 S. granulatus.	Gray.	South Seas.	
11 S. Isabella.	Lamarck.	Singapore.	
12 S. lentiginosus.	Linnæus.	*a* Indian Seas.	
		b „ , young.	
13 S. Luhuanus.	„	Indian Seas.	
14 S. maculatus.	Nuttall.	Kingsmill Island.	M. Robillard.
15 S. marginatus.	Linnæus.	Indian Seas.	
16 S. Mauritianus.	Lamarck.	Ceylon.*	
17 S. papilio.	Chemnitz.	„	Sir W. Denison.
18 S. pugilis.	Linnæus.	The Antilles.	
19 S. succinctus.	„	Indian Seas.*	
20 S. tricornis.	Lamarck.	Red sea.	
21 S. urceus.	Linnæus.	*a* Singapore.	
		b Indian Seas.	
22 S. variabilis.	Swainson.	*a* Philippines.	
		b Port Blair, Andamans.	Dr. Walters.
23 S. vittatus.	Linnæus.	Philippines.	

GENUS.—PTEROCERA. *Lamarck*, 1799.

1 P. aurantia.	Lamarck.	*a* Ceylon.	
		b „ , young.	
2 P. bryonia.	Chemnitz.	*a* „ *	
		b Port Blair, Andamans.	Capt. Edgcome.
3 P. chiragra.	Linnæus.	Ceylon.	
4 P. lambis.	„	Indian Seas.*	
5 P. scorpius.	„	*a* „	
		b Port Blair, Andamans.	Dr. Gamach.
6 P. violacea.		Cargados Island, very rare.	M. Robillard.

GENUS.—ROSTELLARIA. *Lamarck*, 1799.

1 R. cancellata.	Lamarck.	*a* Ceylon.	
		b Burmah.	
2 R. curvirostris.	"	*a* Red Sea.	
		b Nassibe.	Sir W. Denison.
3 R. fusus.	Linnæus.	Labuan.	

GENUS.—CHENOPUS. *Philippi*, 1836.

1 C. pes-pelecani.	Lamarck.	Coasts of Europe.	

GENUS.—STRUTHIOLARIA. *Lamarck*, 1812.

1 S. papulosa.	Martyn.	New Zealand.	

GENUS.—TEREBELLUM. *Lamarck*, 1809.

1 T. punctatum.	Linnæus.	Ceylon.	

FAMILY 29.—CYPRÆIDÆ. *Gray*, 1824.

GENUS.—CYPRÆA. *Linnæus*, 1740.

1 C. algoensis.	Reeve.	Algoa Bay, South Africa.	
2 C. annulus.	Linnæus.	*a* Eastern Seas.*	
		b Port Blair, Andamans.	Dr. Walters.
3 C. Arabica.	"	*a* Eastern Seas.* *	
		b Port Blair, Andamans.	Dr. Walters.
4 C. Arabicula.	Lamarck.	St. Elena, West Columbo.	
5 C. Argus.	Linnæus.	Port Blair, Andamans.	Dr. Walters.
6 C. assellus.	"	*a* West Indies.	
		b Port Blair, Andamans.	Dr. Walters.
		c "	Capt. Edgcome.
7 C. australis.	Lamarck.	New Holland.	
8 C. caput-serpentis.	Linnæus.	*a* Pacific Ocean.*	
		b Port Blair, Andamans.	Dr. Walters.
		c "	Capt. Edgcome.
9 C. carneola.	"	*a* Isle of Annaa.*	
		b Port Blair, Andamans.	Dr. Gamach.

10 C. caurica.	Linnæus.	*a* Eastern Seas.* *	
		b Port Blair, Andamans.	Dr. Walters.
11 C. Childreni.	Grey.	Isle of Annaa.	
12 C. cicercula.	Linnæus.	*a* ,,	
		b Port Blair, Andamans.	
13 C. clandestina.	,,	*a* Ceylon.	
		b Port Blair, Andamans.	Dr. Walters.
14 C. cribaria.	,,	*a* Ceylon.	Sir W. Denison.
		b ,, , young.	,,
		c Port Blair, Andamans.	Dr. Gamach.
15 C. cylindrica.	Born.	Ceylon.	
16 C. diliculum.	Linnæus.	Philippines.	
17 C. errones.	,,	*a* Eastern Seas.*	
		b Port Blair, Andamans.	Dr. Walters.
18 C. erosa.	,,	*a* Ceylon, Mauritius, &c.	Dr. Walters.*
		b Andamans.	Lieut. McGoun.
19 C. Europæa	Montague.	Shores of Britain.*	
20 C. felina.	Gray.	*a* Madras.	
		b Port Blair, Andamans.	Dr. Walters.
21 C. fimbriata.	Gmelin.	Japan.	
22 C. gangrenosa.	Solander	Hab. ?	
23 C. globulus.	Linnæus.	*a* East Indies.	
		b Port Blair, Andamans.	Dr. Walters.
24 C. helvola	,,	Ceylon.*	
25 C. insecta.	?	Sandwich Islands.	M. Robillard.
26 C. interupta.	Gray.	Ceylon.	
27 C. Isabella.	Linnæus	*a* Mauritius.*	
		b Port Blair, Andamans.	Dr. Walters.
28 C. Lamarkii ?	Gray.	Ceylon.	Sir W. Denison.
29 C. lynx.	Linnæus.	*a* ,, *	
		b Port Blair, Andamans.	Dr. Walters.
		c ,,	Capt. Edgcome.

30 C. maculata.	Barnes.	Polynesian Islands.	Sir W. Denison.
31 C. mappa.	Linnæus.	*a* Isle of Annaa.	
		b Port Blair, Andamans.	Dr. Walters.
32 C. Mauritiana.	„	*a* Mauritius.*	
		b Port Blair, Andamans.	Capt. Edgcome.
		c „	Lieut. McGoun.
		d „	Dr. Walters.
33 C. miliaris.	Gmelin.	Japan.	
34 C. moneta.	Linnæus.	*a* Tahiti.*	
		b Madras.	
35 C. mus.	„	Hab. ?	
36 C. neglecta.	Sowerby.	Mauritius.	
37 C. nucleus.	Linnæus.	*a* Hab. ?	
		b Port Blair, Andamans.	
38 C. ocellata.	„	*a* Eastern Seas.*	
		b Vizagapatam.	Major Fraser.
39 C. onyx.	Linnæus.	*a* California.	
		b Port Blair, Andamans.	Dr. Walters.
40 C. oryza.	Lamarck.	*a* Philippines.	
		b Port Blair, Andamans.	Dr. Gamach.
41 C. pantherina.	Solander.	Red Sea.	
42 C. pediculus.	Linnæus.	West Indies.	
43 C. piperata.	Solander.	New Holland.	
44 C. poraria.	Linnæus.	Tahiti.	
45 C. puncatata.	„	Port Blair, Andamans.	Dr. Gamach.
46 C. pustulata.	Lamarck.	Island of Plata, N. America.	
47 C. pyriformis.	Gray.	Ceylon.	
48 C. quadrimaculata.	„	Hab. ?	
49 C. reticulata.	Martyn.	Eastern Seas.	
50 C. Scottii	Broderip.	W. Australia.	Sir W. Denison.
51 C. scurra.	Chemnitz.	*a* Isle of Annaa.	
		b Port Blair, Andamans.	Dr. Walters.
52 C. spurca.	Linnæus.	Adriatic Gulph.	M. Robillard.

53 C. staphylea.	Linnæus.	*a* Philippines.	
		b Port Blair, Andamans.	Dr. Gamach.
54 C. stolida.	„	Ceylon.	
55 C. talpa.	„	*a* Eastern Seas.	
		b Port Blair, Andamans.	Dr. Walters.
		c „	Capt.Edgcome.
56 C. testitudinaria.	„	Mauritius.	
57 C. thersites.	Gascoigne.	Australia.	
58 C. tigris.	Linnæus.	*a* Eastern Seas.*	
		b Port Blair, Andamans.	Lieut.McGoun.
		c „	Capt.Edgcome.
59 C. turdus.	Lamarck.	Hab. ?	
60 C. ventriculus	„	Isle of Annaa.	
61 C. vitellus.	Linnæus.	Port Blair, Andamans.*	Dr. Walters.
62 C. zigzag.	„	Mozambique.	

Genus.—OVULUM. *Bruguière*, 1789.

1 O. ovum.	Linnæus.	*a* Port Blair, Andamans.	Dr. Walters.*
		b „	Capt.Edgcome.
		c „	Dr. Gamach.
2 O. verrucosum.	„	Port Blair, Andamans.	Dr. Walters.
3 O. volva.	„	West Indies.	SirW.Denison.

Family 30.—CANCELLARIIDÆ. *H. and A. Adams.*

Genus.—CANCELLARIA. *Lamarck*, 1799.

1 C. bifasciata.	Deshayes.	Straits of Malacca.	
2 C. hystrix.	Reeve.	Mauritius.	
3 C. lamellosa.	Hinds.	Indian Archipelago.	
4 C. Littorinæformis.	Sowerby.	Ceylon.	SirW.Denison.
5 C. mangelioides.	Reeve.	Hab. ?	

Family 31.—TRICHOTROPIDÆ.

Genus.—TRICHOTROPIS. *Sowerby and Broderip*, 1826.

1 T. cancellata.	Hinds.	Vancouver's Isld.	

Family.—CERITHIIDÆ.

Genus.—CERITHIUM. *Bruguière*, 1789.

1 C. alveola.	?	Tahiti.	SirW.Denison.

2 C. granosum.	Kiener.	New Holland.	
3 C. litteratum.	Born.	West Indies.	
4 C. morus.	Lamarck.	*a* Bay of Bengal.	
		b Vizagapatam.	Major Fraser.
5 C. nodulosum.	Bruguière.	*a* Port Blair, Andamans.	Capt.Edgcome.
		b Red Sea.	
6 C. palustre.	„	*a* Port Blair, Andamans.	Dr. Gamach.
		b East Indies.*	
7 C. reticulatum.	Costa.	Cornwall, England.	
8 C. rugosum.	Wood.	*a* Tahiti.	SirW.Denison.
		b New Holland.	

GENUS.—VERTAGUS. *Klein.*

1 V. fasciatus.	Bruguière.	East Indies.	
2 V. gemmatus.	Hinds ?	Acapulco.	SirW.Denison.
3 V. lineatus.	Lamarck.	Port Blair, Andamans.	Capt. Edgcome.
4 V. obeliscus.	Bruguière.	*a* Singapore.*	
		b Labuan.	
		c Port Blair, Andamans.	Dr. Walters.
		d Kingsmill Island.	M. Robillard.
5 V. Sowerbyi.	Kiener.	Hab. ?	
6 V. vulgaris.	Schumacher.	*a* East Indies.*	
		b Port Blair, Andamans.	Dr. Gamach.

GENUS.—TELESCOPIUM. *Montfort*, 1810.

1 T. fuscum.	Schumacher.	*a* East Indies.
		b Pulicat Lake.

GENUS.—CERITHIDEA. *Swainson*, 1840.

1 C. decollata.	Linnæus.	Hab. ?
2 C. Lafondii.	Michaud.	Jamaica.
3 C. obtusa.	Wood.	Seas of Timor.
4 C. quadrata.	Sowerby.	Malacca.

FAMILY 33.—MELANIIDÆ.

GENUS.—MELANIA. *Lamarck*, 1799.

1 M. acuta.	Lea.	Georgia, U. States.
2 M. Australis.	Reeve.	Victoria River, N. Australia.*

3 M. balteata.	Reeve.	Ceylon.	
4 M. collistricta.	,,	Madras.* * *	
5 M. corrugata.	Lamarck.	India.*	
6 M. crenulata.	Chemnitz.	*a* River Irrawadi, Burmah.	
		b Philippine Islands.	
7 M. episcopalis.	Lea.	Malacca.	
8 M. flammulata.	Von dem Busch.	Labuan.	
9 M. gemmulata.	Reeve.	Calcutta.	
10 M. gracilior.	Anthony.	Ohio.	
11 M. Herculea.	Gould.	Ceylon.	
12 M. lyrata.	Menke.	Sikkim-Himalaya.	
13 M. mancinsis.	?	Sandwich Islands.	M. Robillard.
14 M. Newcombi.	?	,,	,,
15 M. pyramis.	Benson.	*a* Borneo.*	
	var.	*b* Ceylon,	
16 M. spinulosa.	Lamarck.	*a* ,,	
,, young.		*b* Calcutta.	
17 M. subsolida.	Lea.	Indiana.	
18 M. tuberculata.	Müller.	Calcutta & vicinity of Madras.* * *	
19 M. variabilis.	Benson.	Bengal.	
20 M. virgulata.	Ferussac.	Pulla River, near Cuddapah.*	Miss S. Mitchell.

Genus.—LEPTOXIS. *Rafinesque*, 1819.

1 L. geniculatus.	Haldeman.	Tennessee, United States.	

Genus.—MELANOPSIS. *Ferussac*, 1807.

1 M. cariosa.	Linnæus.	Spain ?	
2 M. prærosa.	,,	,,	

Genus.—PIRENA. *Lamarck*, 1812.

1 P. atra.	Müller.	Calcutta & Ceylon.	
2 P. spinosa.	Lamarck.	Madagascar.	Sir W. Denison.

Family 34.—LITTORINIDÆ. *Gray*, 1840.

Genus.—LITTORINA. *Ferussac*, 1821.

1 L. carnifera.	Menke.	Java.*	
2 L. columellaris.	D'Orbigny.	Pernambuco.	
3 L. conica.	Philippi.	Japan.	M. Robillard.
4 L. conspersa.	?	Panama.	Sir W. Denison.
5 L. fasciata.	Gray.	,,	,,

6 L. irrorata.	Say.	Sitka, U. States.	Sir W. Denison.
7 L. lævis.	Philippi.	*a* Calcutta.	
		b Island of Reunion.	M. Robillard.
8 L. littoralis.	Linnæus.	Britian, &c.*	
9 L. littorea.	„	Atlantic shores of Europe.	
10 L. Malaccana.	Philippi.	*a* Ceylon.	
		b Madras.**	
11 L. melanostoma.	Gray.	Singapore.	
12 L. muricata.	Linnæus.	West Indies.	
13 L. Newcombi.	Reeve.	Sandwich Islands.	M. Robillard.
14 L. obesa.	Sowerby.	Philippines.	
15 L. obligata.	Say.	Maine, U. States.	
16 L. palliata.	„	United States.*	
17 L. picta.	Philippi.	Sandwich Islands.	M. Robillard.
18 L. pintado.	Wood.	Island of Reunion.	„
19 L. plena.	?	San Françisco.	„
20 L. reticulata.	?	Island of Reunion.	„
21 L. rudis.	Donovan.	Britain, & U. States.	
22 L. scabra.	Linnæus.	Philippines.	
23 L. Sitchana.	Philippi.	Sitka, North West Coast, America.	Sir W. Denison.
24 L. tenebrosa.	Montagu.	Britain, & U. States.	
25 L. trochoides.	Gray.	Ceylon.	
26 L. zigzag.	Chemnitz.	„	

GENUS.—LACUNA. *Turton*, 1827.

27 L. crassior.	Montagu.	Britain.	
28 L. vincta.	„	„	

GENUS.—CREMNOBATES. *W. T. Blanford*, 1863.

1 C. carmatus.	Layard.	Mahableshwar.	Mr. W. T. Blanford.
2 C. conicus.	W. T. Blanford.	Torna, Dukhun.	„
3 C. Syhadrensis.	„	Western Ghats.	„

FAMILY 35.—PLANAXIDÆ. *H. and A. Adams.*

GENUS —PLANAXIS. *Lamarck*, 1822.

1 P. boricinoides.	?	Tahiti.	M. Robillard.
2 P. Judicularis.	Lamarck.	West Indies.	
3 P. lineolatus.	Gould.	Tahiti.	Sir W. Denison.
4 P. plumbea.	Pease.	Sandwich Islands.	„

5 P. semisulcatus.	Sowerby.	Hab. ?	
6 P. sulcatus.	Lamarck.	*a* Ceylon.*	
		b Vizagapatam.	

SUB-GENUS.—QUOYIA. *H. and A. Adams*, 1854.

1 Q. decollata.	Quoy and Gaimard.	North Australia.	

FAMILY 37.—RISSOIDÆ. *H. and A. Adams.*

GENUS.—RISSOA. *Frèminville*, 1814.

1 R. cingilla.	Fleming.	Plymouth, &c.	
2 R. fulgida.	?	Britain.	
3 R. labiosa.	Fleming.	,,	
4 R. minuta.	?	Ceylon.	Dr. W. Traill.
5 R. parva.	Récluz.	Britain.	
6 R. rufilabris.	?	,,	
7 R. scalurella.	Adams.	Jamaica.	Sir W. Denison.
8 R. semistriata.	Fleming.	South Coast of Devon.	
9 R. ventricosa.	,,	Weymouth.	

FAMILY 38.—PALUDINIDÆ. *H. and A. Adams.*

GENUS.—PALUDINA. *Lamarck*, 1821.

1 P. Bengalensis.	Lamarck.	*a* Madras.*	
		b Benares.	Mr. W. Theobald.
		c Vizagapatam. * *	
2 P. contecta.	Millet.	Central Europe.	
3 P. decisa.	Say.	Erie Canal.*	
4 P. fallax.	Frauenfeld.	Tenasserim.	Mr. W. Theobald.
5 P. malleata.	Reeve.	Japan.	
6 P. melanostoma.	Benson.	*a* Madras. * * *	
		b Bengal.	Mr. E. Blyth.
7 P. vivipira.	Linnæus.	Central Europe.	

GENUS.—PALUDOMUS. *Swainson*, 1840.

1 P. acutus.	Reeve.	Courtalliar River.* * *	
2 P. Chilinoides.	,,	Mahawelle Gunga, Ceylon.	
3 P. conicus.	Gray.	Sylhet, India.	
4 P. funiculatus.	Reeve.	Rutnapoora, Ceylon.	
5 P. Gardneri.	,,	Ceylon.	
6 P. lævis.	Layard.	,,	

7 P. loricatus.	Reeve.	Ceylon.	
8 P. phasianina.	,,	,,	
9 P. pictus.	,,	Rutnapoora, Ceylon.	
10 P. Stephanus.	Benson.	Bengal.	Mr. W. Theobald.
11 P. sulcatus.	Reeve.	Rutnapoora, Ceylon.	
12 P. Tanjorica.	Eydoux.	Courtalliar River.*	

GENUS.—BITHYNIA. *Gray*, 1821.

13 B. cerameopoma.	Benson.	Benares.	Mr. W. Theobald.
14 B. impura.	Lamarck.	Bordeaux.	
15 B. marginata.		*a* Ceylon.* *b* Thoosmamundoor, near Conjeveram.	
16 B. minuta.		Ceylon.*	
17 B. pulchella.	Hutton.	Madras. * * *	

FAMILY 39.—VALVATIDÆ. *Gray*.

GENUS.—VALVATA. *Müller*, 1774.

1 V. carinata.	Say.	Hab. ?
2 V. piscinalis.	Ferrussac.	Bordeaux.

FAMILY 40.—AMPULLARIIDÆ. *D'Orbigny*, 1837.

GENUS.—AMPULLARIA. *Lamarck*, 1799.

1 A. adusta.	Reeve.	Madagascar.	Sir W. Denison.
2 A. amazonica.	,,	River Amazon.	
3 A. carinata.	Swainson.	Red Hill Lake.	
4 A. glauca.	Linnæus.	,,	
5 A. globosa.	Swainson.	,, * * *	
6 A. Javanica.	Reeve.	Bombay.	

FAMILY 41.—TURRITELLIDÆ. *Clarck*, 1851.

GENUS.—TURRITELLA. *Lamarck*, 1799.

1 T. attennata.	Reeve.	Coromandel.*
2 T. bicingulata ?	Lamarck.	Cape de Verd Islands.
3 T. cornea.	,,	British Seas.
4 T. duplicata.	,,	Eastern Seas.**
5 T. terebra.	,,	Singapore.

FAMILY 42.—CÆCIDÆ. *Gray*.

GENUS.—CÆCUM. *Fleming*, 1811.

1 C. trachæa.	Forbes.	Britain.

FAMILY 43.—VERMETIDÆ. *D'Orbigny*, 1840.

GENUS.—VERMETUS. *Adanson*, 1757.

1	V. cereus.	Reeve ?	Peru.	

FAMILY 44.—SILIQUARIIDÆ.

GENUS.—SILIQUARIA. *Bruguière*, 1789.

1	S. trochlearis.	?	Philippines.	

FAMILY 45.—ONUSTIDÆ. *H. and A. Adams.*

GENUS.—PHORUS. *Montfort*, 1810.

1	P. calculiferus.	Reeve.	Ceylon.	Sir W. Denison.
2	P. Indicus.	,,	Cochin China.	

FAMILY 46.—CALYPTRÆIDÆ. *Broderip*, 1835.

GENUS.—CALYPTRÆA. *Lamarck*, 1799.

1	C. spinura.		California.	

GENUS.—CRUCIBULUM. *Schumacher*, 1817.

1	C. corrugatum.	Carpenter.	California.	
2	C. extinctorum.	Lamarck.	Malacca.* *	
3	C. radiatum.	Broderip.	California.	

GENUS.—TROCHITA. *Schumacher*, 1817.

1	T. Sinensis.	Linnæus.	Britain.	

GENUS.—CREPIDULA. *Lamarck*, 1799.

1	C. fornicata.	Linnæus.	United States.	
2	C. Walshi.	Hermannson.	Ceylon.	

FAMILY 47.—PILEOPSIDÆ.

GENUS.—PILEOPSIS. *Lamarck*, 1812.

1	P. ungaricus.	Linnæus.	Britain.	

GENUS.—HIPPONYX. *Defrance*, 1819.

1	H. barbata.	Sowerby.	Society Islands.	
2	H. incurvata.	?	Island of Reunion.	M. Robillard.

FAMILY 48.—NERITOPSIDÆ.

GENUS.—NARICA. *Récluz*, 1841.

1	N. Deshayesiana	Récluz	New Zealand.	
2	N. peletrina.	Tahiti.	Tahiti.	M. Robillard.

GENUS.—NERITOPSIS. *Grateloup*, 1832.

1	N. radula.	Linnæus.	Philippines.	

Order II.—SCUTIBRANCHIATA. *H. and A Adams.*

Sub-Order.—PODOPHTHALMA.

Family 1.—NERITIDÆ.

Genus.—NERITA. *Linnæus*, 1758.

1	N. albicilla.	Linnæus.	*a* Philippines.**	
			b Solomon Islds.	M. Robillard.
2	N. annulata.	Reeve.	Vizagapatam.	
3	N. antiquata.	Récluz.	Philippines.	
4	N. atrata.	Chemnitz.	Australia.	
5	N. atro-purpurea.	Récluz.	Philippines.	
6	N. costata	Chemnitz.	Nicobar Islands.*	
7	N. exuvia.	Linnæus.	Philippines.	
8	N. funiculata.	Reeve.	Hab. ?	
9	N. lineata.	Chemnitz.	Port Essington, N. Australia.	
10	N. maura ?	Récluz.	Solomon Islands.	M. Robillard.
11	N. ornata.	Sowerby.	Panama.	
12	N. peloronta.	Linnæus,	West Indies.	
13	N. plexa.	Chemnitz.	Philippines.	
14	N. plicata.	Linnæus.	West Indies.	
15	N. polita.	,,	Philippines.* * *	
16	N. præcognita.	Adams.	Hab. ?	
17	N. Rumphii.	Récluz.	Philippines.*	
18	N. semirugosa.	,,	Vizagapatam.	
19	N. signata.	Macleay.	Kingsmill Island.	Sir W. Denison.
20	N. tessellata.	Linnæus.	West Indies.*	
21	N. versicolor.	Lamarck.	,,	

Genus.—NERITINA. *Lamarck*, 1809.

1	N. auriculata ?	Lamarck.	Calcutta.	
2	N. chlorostoma.	Broderip.	Tahiti.	M. Robillard.
3	N. cornucopia, var.	Benson.	Hab. ?	Mr. W. T. Blanford.
4	N. corona ?	Linnæus.	Palawan.	
5	N. cryptosira.	Benson.	Salween River.	Mr. W. Theobald.
6	N. depressa.	,,	*a* Calcutta.	
			b Singapore.	
7	N. dubia.	Chemnitz.	Ceylon.	
8	N. faba.	Sowerby.	Hab. ?	
9	N. fuliginosa.	Theobald.	Ava.	Mr. W. Theobald.

10 N. granosa.	Sowerby.	Sandwich Islands.	M. Robillard.
11 N. insculpta.	Reeve.	Island of Diego.	,,
12 N. longispina.	Récluz.	Mauritius.	Sir W. Denison.
13 N. melanostoma	Troschel.	Ceylon & Bengal.	
14 N. meleagris ?	Lamarck.	Dalmatia.	
15 N. Mertonia.	Récluz.	Pulicat Lake and Ceylon.*	
16 N. obtusa.	Benson.	River Ganges, Calcutta.	
17 N. Perrotettiana.	Récluz.	Madras and Neilgherris.*	
18 N. pisiformis.	Récluz.	Sandwich Islands.	M. Robillard.
19 N. ponderosa.	?	Mauritius.	Sir W. Denison.
20 N. Prevostiana.	Sowerby.	Valencia.	
21 N. pupa.	Linnæus.	Jamaica.	Dr. W. Traill.
22 N. retifera.	?	Calcutta.	*
23 N. Sandwichensis.	Deshayes.	Reunion & Mauritius.	M. Robillard.
24 N. Smithii.	Gray.	River Ganges, Calcutta.*	
25 N. spinosa.	Sowerby.	Maurice Island.	M. Robillard.
26 N. Souleyetana.	Récluz.	Marquesas Island.	,,
27 N. vespertina.	Nuttall.	Tahiti.	,,
28 N. virginea ?	Lamarck.	West Indies.	Dr. W. Traill.
29 N. viridis.	Linnæus.	Martinique.	
30 N. zebra.	Lamarck.	Tahiti.	Sir W. Denison.
31 N. zigzag.	,,	Labuan.	

Genus.—NAVICELLA. *Lamarck*, 1809.

1 N. tessellata.	Lamarck.	Philippine Islds.*	

Family 2.—TROCHIDÆ.

Tribe 1.—PHASIANELLINÆ.

Genus.—PHASIANELLA. *Lamarck*, 1804.

1 P. australis.	Gmelin.	Kangaroo Island, Australia.	
2 P. nivosa.	Reeve.	Ceylon.*	
3 P. pulla.	Linnæus.	Britain.	
4 P. variegata.	Lamarck.	The Antilles.*	

Tribe 2.—TURBININÆ.

Genus.—TURBO. *Linnæus*, 1758.

1 T. articulatus.	Reeve.	Ceylon.*	
2 T. Chemnitzianus.	,,	Red Sea.	

3 T. chrysostoma.	Linnæus.	Santa Cruz.	
4 T. marmoratus.	„	Moulmein.*	
5 T. petholatus.	„	Port Blair, Andamans. *	Dr. Walters.
6 T. setosus.	Gmelin.	Kingsmill Island.	M. Robillard.
7 T. spinosus.	Chemnitz.	Nicobar Islands.	
8 T. Ticaonicus.	Reeve.	Philippines.	
9 T. versicolor.	„	„	

TRIBE 5.—ROTELLINÆ.

GENUS.—ROTELLA. *Lamarck*, 1822.

1 R. gigantea.	Lesson.	Japan ?
2 R. suturalis ?	Lamarck.	Indian Seas.**
3 R. vestiaria.	Linnæus.	*a* Mediterranean *b* Madras Coast.***

TRIBE 6.—TROCHIINÆ.

GENUS.—DELPHINULA. *Lamarck*, 1803.

1 D. distorta.	Lamarck	Nicobar Islands ?
2 D. Tyria.	Reeve.	Swan River.

GENUS.—TROCHUS. *Linnæus*, 1758.

1 T. acutangulus.	Chemnitz.	Philippine Islands.	
2 T. ater.	Lesson.	Peru.	
3 T. brunneus.	Philippi.	California.	SirW.Denison.
4 T. cinereus.	?	?	M. Robillard.
5 T. cinerarius.	Linnæus.	Britain.	
6 T. confragosus.	G. S. K.	Tahiti.	SirW.Denison
7 T. gallinus.	?	California.	„
8 T. maculatus ?	Lamarck.	Philippine Islds.	
9 T. magus.	Linnæus.	Britain.	
10 T. Montagui.	Wood.	Ireland.	
11 T. Niloticus.	Linnæus.	Eastern Seas.*	
12 T. noduliferus.	Lamarck.	Red Sea, Philippine Islands.	
13 T. punctulatus.	Martyn.	New Zealand.	
14 T. pyramis.	Born.	Philippine Islds.*	
15 T. rhodostoma.	Lamarck.	Island of Tortola, West Indies.	
16 T. stellatus.	Gmelin.	Malacca.	
17 T. striatus.	Linnæus.	Cornwall & Devon.	
18 T. tentorium.	Chemnitz.	Philippines.	
19 T. tumidus.	Linnæus.	Devon & Dorset, Britain.	

20 T. umbilicatus.	Pennant.	Britain.	
21 T. vividus.	Reeve.	Port Blair, Andamans.	Dr. Walters.*

GENUS.—CLANCULUS. *Montfort*, 1810.

1 C. Pharaonis.	Linnæus.	Red Sea.	

GENUS.—MONODONTA. *Lamarck*, 1799.

1 M. angulata.	Adams.	Jamaica.	
2 M. labio.	Lamarck.	Atlantic Ocean.	
3 M. turbinata.	Gmelin.	France.	M. Robillard.

GENUS.—ZIZYPHINUS. *Gray*, 1840.

1 Z. conuloides.	Lamarck.	Britain.*	
2 Z. Tranquebaricus.	Chemnitz.	Vizagapatam.	Major Frazer.*

GENUS.—ELENCHUS. *Humphrey*, 1797.

1 E. badius.	Wood.	South Australia.	

GENUS.—BANKIVIA. *Beck*, 1848.

1 B. purpurascens.	Deshayes.	South Australia.	

GENUS.—TROCHISCUS. *Sowerby*, 1838.

1 T. Norrisii.	Sowerby.	Vancouver's Island.	

GENUS.—MARGARITA. *Leach*, 1819.

1 M. undulata.	Sowerby.	North Seas.	

TRIBE 7.—STOMATELLINÆ.

GENUS.—STOMATELLA. *Lamarck*, 1809.

1 S. imbricata.	Lamarck.	Australia.	

FAMILY 3.—HALIOTIDÆ. *Fleming*, 1829.

GENUS.—HALIOTIS. *Linnæus*, 1740.

1 H. asinina.	Linnæus.	Port Blair, Andamans.	Dr. Walters.
2 H. excavata.	Lamarck.	„ „	„
3 H. iris.	Gmelin.	Kangaroo Island, Australia.	
4 H. Midæ.	Linnæus.	Cape of Good Hope.*	
5 H. revelata.	?	Reunion.	M. Robillard.
6 H. semistriata.	Reeve.	Ceylon.	
7 H. squamata.	„	West Australia.	Sir W. Denison
8 H. tuberculata.	Linnæus.	Guernsey.	

Sub-Order 2.—EDRIOPHTHALMA.

Family 4.—FISSURELLIDÆ.

Genus.—FISSURELLA. *Bruguière*, 1789.

1	F. reticulata.	Donovan.	Britain.	

Genus.—CEMORIA. *Leach*, 1820.

1	C. noachina.	Linnæus.	Britain.	

Genus.—EMARGINULA. *Lamarck*, 1801.

1	E. rosea.	Lamarck.	Devonshire, England.	

Genus.—PARMOPHORUS. *Blainville*, 1817.

1	P. Australis.	Blainville.	New Zealand.	

Family 5.—DENTALIIDÆ.

Genus.—DENTALIUM. *Linnæus*, 1740.

1	D. Elephantinum.	Linnæus.	Indian Seas.	
2	D. entalis.	„	Britain.	
3	D. novemcostatum.	Deshayes.	France.	
4	D. octogonum.	„	China Seas.	
5	D. tarentinum.	Sowerby.	Britain.	

Family 6.—SCUTELLIIDÆ.

Genus.—TECTURA. *Audoin*, 1830.

1	T. fluviatilis.	W.T.Blanford.	Pegu.	Mr.W.T.Blanford.

Family 7.—GADINIIDÆ.

Genus.—GADINIA. *Gray*, 1824.

1	G. reticulata.	Sowerby.	Chili.	

Family 8.—PATELLIDÆ.

Genus.—PATELLA. *Linnæus*, 1752.

1	P. lima.	Reeve.	Japan.	
2	P. nigro-lineata.	„	Philippines.	
3	P. pellucida.	Linnæus.	Britain.	
4	P. rota.	Chemnitz.	Island of Reunion.	M. Robillard.
5	P. saccharina.	Linnæus.	Philippine Islands.	
6	P. sandwichensis.		Sandwich Islands.	M. Robillard.
7	P. sanguinans.	Reeve.	South Africa.	
8	P. testudinalis.	Müller.	Britain.	
9	P. testudinaria.	Linnæus.	Port Blair, Andamans.	Dr. Walters.
10	P. vulgata.	„	*a* Britain.*	
			b France.	M. Robillard.

Genus.—ACMÆ.

1 A. persona.	Eschricht ?	California.	Sir W. Denison.

Family 9.—CHITONIDÆ. *Guilding.*

Genus.—CHITON. *Linnæus*, 1758.

1 C. aculeatus.	Linnæus.	Chili.	Bellary, Local Museum.
2 C. cinereus.	„	Britain.	
3 C. incarnatus.	Reeve.	Dalmatia.	
4 C. rusticus.	?	Island of Reunion.	M. Robillard.
5 C. siculus.	Gray.	Dalmatia.	

Sub-Genus.—CHITONELLUS. *Lamarck*, 1819.

1 C. Gunnii.	Reeve.	New Zealand.	

Sub-Class.—OPISTHOBRANCHIATA. *Milne Edwards*, 1848.

Order 1.—TECTIBRANCHIATA.

Family 1.—TORNATELLIDÆ.

Genus.—TORNATELLA. *Lamarck*, 1812.

1 T. solidula.	Lamarck.	Indian Ocean.	

Family 2.—APLUSTRIDÆ.

Genus.—APLUSTRUM. *Schumacher*, 1817.

1 A. Thallassiarchi.	Martin.	Hab ?	

Genus.—HYDATINA. *Schumacher*, 1817.

1 H. physis.	Linnæus.	Island of Reunion.	M. Robillard.

Family 4.—BULLIDÆ.

Genus.—BULLA. *Klein*, 1753.

1 B. ampulla.	Linnæus.	Indian Ocean.	
2 B. aplustre.	„	Island of Reunion.	M. Robillard.
3 B. australis.	Quoy.	Tahiti.	Sir W. Denison.
4 B. fasciata.	Bruguière.	Negapatam.	
5 B. hydatis.	Linnæus.	Britain.	
6 B. naucum.	„	Indian Ocean.	
7 B. solida.	Bruguière.	„	
8 B. viridis.	Rang.	Seychelles.	M. Robillard.

Genus.—HAMINEA. *Leach*, 1847.

1 H. curta.		Sandwich Islands.	M. Robillard.
2 H. nigro-cincta.		Tahiti.	„

Genus.—ATYS. *Montfort*, 1810.

1 A. parallella.		Sandwich Islands.	M. Robillard.

FAMILY 5.—BULLÆIDÆ.

GENUS.—BULLÆA. *Lamarck*, 1801.

1 B. aperta.	Lamarck.	Britain.	

FAMILY 7.—APLYSIIDÆ.

GENUS.—DOLABELLA. *Lamarck*, 1801.

1 D. Rumphii.	Cuvier.	Indian Ocean.	

GENUS.—APLYSIA. *Linnæus*, 1767.

1 A. ocellata.	Reeve ?	Philippine Islands.	

FAMILY 8.—PLEUROBRANCHIDÆ

TRIBE 1.—PLEUROBRANCHINÆ.

GENUS.—PLEUROBRANCHUS. *Cuvier*, 1805.

1 P. membranaceus.	Montfort.	Britain.	

TRIBE 2.—UMBRELLINÆ.

GENUS.—UMBRELLA. *Lamarck*, 1812.

1 U. Cumingii.	Reeve.	Sandwich Islands.	
2 U. Indica.	Lamarck.	Eastern Seas.	Sir W. Denison.

3RD SUB-CLASS.—PULMONATA. *Cuvier*, 1817.

ORDER 1.—INOPERCULATA. *Gray*, 1850.

SUB-ORDER 1.—GEOPHILA.

FAMILY 1.—HELICIDÆ.

GENUS.—HELIX. *Linnæus*, 1758.

1 H. acetabulum.	?	Tahiti.	M. Robillard.
2 H. achatina.	Gray.	Moulmein.	Mr. W. Theobald.
3 H. acuta.	Lamarck.	Jamaica.	Sir W. Denison.
4 H. Adansoni.	Webb & Bertholet.	Teneriffe.	M. Robillard.
5 H. albolabris.	Say.	North America.	
6 H. Alonensis.	Ferussac.	Spain.	
7 H. alternata.	Say.	North America.	
8 H. ampulla.	Benson.	*a* Manantoddy.	
		b Anamallays.	Mr. H. R. P. Carter.
		c ,,	Sir W. Denison.
9 H. angigyra.	Ziegler.	North Italy.	
10 H. annulata.	Sowerby.	Philippines.	

11	H. anomala.	Adams.	Jamaica.	Sir W. Denison.
12	H. aperta.	Born.	Dalmatia.	
13	H. apex.	Adams.	Jamaica.	„
14	H. arborea.	Say.	North America.	
15	H. arbustorum.	Linnæus.	Britain.	
16	H. artificiosa.	Benson.	Tenasserim Valley.	Mr. W. Theobald.
17	H. aspera.	Ferussac.	Jamaica.	
18	H. aspersa.	Müller.	Britain.*	
19	H. Bainbridgei.	Pfeiffer.	Jamaica.	
20	H. Bajadera.	„	Bengal.	
21	H. Barrakporensis.	„	Barrakpore.	Mr. H. Blanford.
22	H. Basileus.	Benson.	*a* Anamallays.	Captain R. H. Beddome.
			b „	Mr. H. R. P. Carter.
23	H. bidens.	Chemnitz.	Germany, &c.	Sir W. Denison.
24	H. bistrialis.	Beck.	Madras.* * *	
25	H. bolus.	Benson.	Thayet Myo.	Mr. W. Theobald.
26	H. Bombayana.	Grateloup.	Poona.	
27	H. Boothiana.	Pfeiffer.	Cuba.	Sir W. Denison.
28	H. cacuminifera.	Benson.	Neilgherries.	
29	H. cælatura.	Ferussac.	Island of Reunion.	M. Robillard.
30	H. Caldwelli.	?	„ Maurice.	„
31	H. Campbelli.	Gray.	Norfolk Island.	Sir W Denison*
32	H. caperata.	Montagu.	Dalmatia.	M.J.L.Laporte
33	H. capitium.	Benson.	Ava.	Mr. W.T.Blanford.
34	H. Cara.	Adams.	Jamaica.	
35	H. cariosula.	Michaud.	Algeria.	
36	H. Carmelita.	Ferussac.	Jamaica.	
37	H. Carocolla.	Linnæus.	Mauritius ?	
38	H. Carthusiana.	Müller.	British Isles.	M.J.L.Laporte
39	H. Cecillei.	Philippi.	China.	
40	H. cellaria.	Müller.	Central Europe.	
41	H. ceraria ?	Benson.	Ceylon.	
42	H. cespitum (young.)	Drapernaud.	Bordeaux.	
43	H. Chamissoi.	Pfeiffer.	Sandwich Islands.	M. Robillard.
44	H. cicatricosa.	Müller.	China.	
45	H. ciliata.	Venetz.	Switzerland.	Sir. W. Denison.

46	H. cinctella.	Drapernaud.	Lombardy.	Sir. W. Denison.
47	H. cingulata.	Studer.	„	„
48	H. citrina.	Linnæus.	Moluccas.	
49	H. climacterica.	Benson.	East Frontier of Bengal.	Mr. W. Theobald.
50	H. conspurcata.	Drapernaud.	*a* Montpelier. *b* France & Spain.	SirW.Denison.
51	H. conula.	?	Tahiti.	M. Robillard.
52	H. convexa.	Rafinesque.	*a* Ohio, N. America.	
	„ var, fraterna.	Say.	*b* „	
53	H. Cookiana.	Gmelin.	Jamaica.	
54	H. Corcyrensis.	Partsch.	Schumla.	SirW.Denison.
55	H. cornea.	Drapernaud.	France.	
56	H. cornu-militaire.	Linnæus.	Hab. ?	
57	H. costulata.	Ziegler.	Germany.	SirW.Denison.
58	H. crassicostata.	Benson.	South India.	
59	H. Cunninghami.	Gray.	Darling Downs, Australia.	
60	H. Cyclopax.	Benson.	Darjeeling.	
61	H. cysis.	„	Neilgherries.	
62	H. densa.	Adams&Reeve.	Isld. of Daat, Borneo.	
63	H. desertorum.	Forskael.	Deserts of Egypt, &c.	
64	H. detecta.	Ferussac.	Bourbon.	
65	H. diminuta.	Adams.	Jamaica.	
66	H. epistyliulum.	„	„	
67	H. epistyloides.	Ferussac.	„	
68	H. ericetorum.	Müller.	Europe.	SirW.Denison.
69	H. erronea.	Albers.	Ceylon.	„
70	H. excellens.	Pfeiffer.	St. Domingo.	
71	H. explanata.	Müller.	Algeria and South of France.	SirW.Denison.
72	H. fabrefacta.	?	Tahiti.	M. Robillard.
73	H. fallaciosa.	Ferussac.	*a* South India.* *b* Naggery Hills.***	
74	H. fibula.	Pfeiffer.	Philippines.	
75	H. ficta.	?	Tahiti.	M. Robillard.
76	H. fidelis.	Gray.	North America.	
77	H. Fraseri.	„	Clarence River, Australia.	SirW.Denison.
78	H. fruticum.	Müller.	Germany, &c.	„
79	H. fulva.	„	Europe.	
80	H. fusco-cincta.	Adams.	Jamaica.	SirW.Denison.

81	H. fusco-labris.	Adams.	Jamaica.	
82	H. graminicola.	„	„	Sir W. Denison.
83	H. Guerini.	Pfeiffer.	Neilgherries.	
84	H. Gualteriana.	Linnæus.	Spain.	
85	H. hæmastoma.	„	Ceylon.*	
86	H. hieroglyphicula.	Michaud.	North Africa.	
87	H. hispana.	Linnæus.	„ Italy.	
88	H. hispida.	„	Germany, &c.	Sir W. Denison.
89	H. holoserica.	Studer.	Central & S. Eur.	„
90	H. honesta.	Gould.	Moulmein.	Mr. W. Theobald.
91	H. Huaheinensis.	Pfeiffer.	Tahiti.	M. Robillard.
92	H. humilis.	Hutton.	Himalayas.	
93	H. Huttoni.	Pfeiffer.	Darjeeling.	
94	H. Iloconensis.	Sowerby.	Philippines.	
95	H. immaculata.	Adams & Reeve.	„	
96	H. interrupta.	Benson.	Calcutta.	Mr. W. Theobald.
97	H. intorta.	Sowerby.	Philippines.	
98	H. intumescens.	W. T. Blanford.	Mahabuleshwar.	Mr. W. T. Blanford.
99	H. inversicolor.	Ferussac.	Mauritius.	
100	H. Jamaicensis.	Chemnitz.	Jamaica.	Sir W. Denison.
101	H. Jugosa.	Mighels.	Sandwich Islands.	M. Robillard.
102	H. Juliana.	Gray.	Ceylon.	
103	H. lactea.	Müller.	Algiers.*	
104	H. lævipes.	„	Elephanta, Bombay.	
105	H. lapicida.	Linnæus.	Britain, &c.	
106	H. lauta.	Lowe.	Toulon.	
107	H. laxata.	Ferussac.	Chili.	
108	H. Layardi.	Pfeiffer.	*a* South India.*	Sir W. Denison.
			b Anamallays.* *	Captain R. H. Beddome.
109	H. Leprieurii.	Petit.	Amazon.	
110	H. leucostyla.	Pfeiffer.	Maurice Island.	M. Robillard.
111	H. ligulata.	Ferussac.	*a* Bengal.*	
			b Trivelloor, Madras.* * *	
112	H. limbata.	Drapernaud.	Britain.	
113	H. lineata.	Say.	North America.	
114	H. Luzonica.	Sowerby.	Island of Luzon, Philippines.	

115 H. MacMurrayi.	Adams.	Jamaica.	
116 H. Maderaspatana.	Gray.	South India.* *	
117 H. magnifica.	Ferussac.	Madagascar.	Sir. H. Barkly.
118 H. Mauritiana.	Pfeiffer.	Maurice Island.	M. Robillard.
119 H. Mauritius.	?	?	,,
120 H. melanostoma.	Drapernaud.	Africa.	
121 H. melanotragus.	Born.	Ceylon.*	
122 H. Merguiensis ?	Philippi.	Moulmein.	Mr. W. Theobald.
123 H. metaformis.	Ferussac.	Philippines.	
124 H. mirabilis.	,,	,,	SirW.Denison.
125 H. Moricandi.	Sowerby.	,,	
126 H. munda.	Adams.	Jamaica.	
127 H. muralis.	Müller.	Italy and Sicily.	SirW.Denison.
128 H. Naninoides.	Benson.	Singapore.	
129 H. nemoralis.	Linnæus.	*a* France.* *b* Britain.*	M.J.L.Laporte
130 H. Niciensis.	Ferussac.	Nice.	SirW.Denison.
131 H. Nicobarica.	Chemnitz.	Nullamallays.	Captain R. H. Beddome*
132 H. Nilagirica.	Pfeiffer.	Neilgherries.	
133 H. nitens.	Michaud.	Austria, France, &c.	
134 H. nobilis.	Pfeiffer.	Singapore.	
135 H. nummus.	Ehrenberg.	Aden.	
136 H. obvoluta.	Müller.	N.&CentralEurope.	SirW.Denison.
137 H. Orobia.	Benson.	Darjeeling.	
138 H. Oxytes.	,,	E. frontier of Bengal.	Mr. W. Theobald.
139 H. patina.	Adams.	Jamaica.	
140 H. paupercula.	Lowe.	Madeira, &c.	SirW.Denison.
141 H. pedina.	Benson.	Bombay.	
142 H. peliomphala.	Pfeiffer.	Japan.*	
143 H. peraffinis.	Adams.	Jamaica.	SirW.Denison.
144 H. personata.	Lamarck.	Germany.	,,
145 H. perspectiva.	Say.	N. America.	Dr. Traill.
146 H. philyrina.	Mortillet.	Maurice Island.	M. Robillard.
147 H. picturata.	Adams.	Jamaica.	
148 H. pila.	,,	,,	
149 H. Pisana.	Müller.	Britain, &c.	
150 H. planulata	Lamarck.	Philippines.	
151 H. plectostoma.	Benson.	N. Bengal.	Mr. W. Theobald.
152 H. polychroa.	Sowerby.	Philippines.	SirW.Denison.

153 H. pomatia.	Linnæus.	England.	M.J.L.Laporte
154 H. propinqua.	Pfeiffer.	Bombay.	
155 H. pulchella	Müller.	Europe.	
156 H. pulcherrima	Sowerby.	Philippines.	SirW.Denison.
157 H. pura.	Alder.	Europe&America.*	
158 H. quæsita.	Deshayes.	Moluccas.	
159 H. radiella.	Pfeiffer.	Tahiti.	M. Robillard.
160 H. Rawsonis.	Barclay.	Maurice Island.	„
161 H. regalis.	Benson.	Borneo.	
162 H. resplendens.	Philippi.	Isld. of Daat, Borneo.*	
163 H. Richmondiana.	Pfeiffer.	Australia.	
164 H. Rivolii.	„	Ceylon.	
165 H. Roissyana.	Ferussac.	Philippines.	
166 H. rotabilis.	Reeve.	Australia.	
167 H. rotatoria.	Von demBusch.	Irrawaddi.	Mr. W. Theobald.
168 H. rotundata.	Müller.	Britain, &c.	SirW.Denison.
169 H. rufescens.	Pennant.	„	
170 H. rugosiuscula.	Michaud.	Pyrenees.	
171 H. sagemon.	Beck.	Cuba.	
172 H. Schumacheriana.	Pfeiffer.	Borneo.	
173 H. scuta.	?	Tahiti.	M. Robillard.
174 H. semidecussata.	Pfeiffer.	Mauritius.	
175 H. semirugata.	Beck.	*a* Carnatic.	
		b Nullahmalays.	Captain R. H. Beddome.
176 H. sepulchralis.	Ferussac.	Madagascar.	
177 H. sericea.	Draparnaud.	Britain, &c.	
178 H. serpentina.	Ferussac.	Toulon.	
179 H. serrula.	Benson.	Teria Ghaut.	Mr.W.Theobald
180 H. similaris. Var.	Ferussac.	*a* Ava.	Mr. W.T. Blanford.
		b Maurice Island.	M. Robillard.
		c „ „	„
		d Reunion „	„
181 H. sincera.	Adams.	Jamaica.	
182 H. sinuata.	Müller.	„	SirW.Denison.
183 H. Siquijorensis.	Broderip.	Philippines.	
184 H. Sirena.	Beck.	„	
185 H. solata.	Benson.	Neilgherries.	
186 H. soror.	Ferussac.	Jamaica.	

187 H. sphærica.	Sowerby.	Philippines.	
188 H. striatella.	Anthony.	North America.	
189 H. Studeriana.	Ferussac.	Seychelle Islands.	
190 H. subconica.	Adams.	Jamaica.	
191 H. tapeina.	Benson.	E. frontier of Bengal.	Mr. W. Theobald.
192 H. terrestris.	Chemnitz.	S. of France, &c.	
193 H. thyreus.	Benson.	Neilgherries.	Sir W. Denison.
194 H. thyroides.	Say.	North America.	
195 H. tiara.	Mighels.	Sandwich Islands.	,,
196 H. tigrina.	Christofori & Jan.	Lombardy.	
197 H. Tranquebarica.	Fabricius.	*a* Tranquebar.	
		b Trivelloor, Madras.***	
198 H. trochoides.	Poiret.	Dalmatia.	
199 H. tumida.	Pfeiffer.	West Indies.	Sir W. Denison.
200 H. umbilicata.	Montagu.	Central & S. Europe.	,,
201 H. unidentata.	Chemnitz.	Mauritius.	
202 H. vermiculata.	Müller.	South Europe.	
203 H. vindobonensis.	Ferussac.	Austria.	
204 H. virgata.	Montagu.	Bordeaux.	
205 H. viridis.	Deshayes.	*a* Madagascar.	
,, var.	,,	*b* St. Mary's Isld.	M. Robillard.
206 H. vitellina.	Pfeiffer.	Madras.***	
207 H. vittata.	Müller.	Ceylon.	
208 H. Waltoni.	Reeve.	,,	
209 H. Woodiana.	Pfeiffer.	,,	
210 H. Zebuensis.	Broderip.	Philippines.	
211 H. zonata.	Studer.	Piedmontese Alps.	Sir W. Denison.

GENUS.—BOYSIA. *Pfeiffer*, 1850.

1 B. Bensoni.	Pfeiffer.	Katiawar.

GENUS.—ANOSTOMA. *Fischer*, 1807.

1 A. Globulosum.	Lamarck.	Brazil.

GENUS.—STREPTAXIS. *Gray*, 1837.

1 S. Perrotteti.	Petit.	Neilgherries.*	
2 S. Petiti.	Gould.	Burmah.	Mr. W. Theobald

GENUS.—ENNEA. *H. and A. Adams*, 1855.

1 E. bicolor.	Gould.	Foot of the Himalayas.	Mr. W. Theobald.

2 E. Dunkeri.	Pfeiffer.	Port Natal.	
3 E. Planti.	,,	,,	

GENUS.—BULIMUS. *Scopoli*, 1786.

1 B. Abyssinicus.	Rüppell.	Abyssinia.	Sir W. Denison.
2 B. acutus.	Müller.	Bordeaux.	,,
3 B. Adamsii.	Reeve.	E. coast of Borneo.	,,
4 B. albizonatus.	,,	Ceylon.	
5 B. atomatus.	Gray.	Ash Islds., Australia.	
6 B. atricallosus.	Gould.	Tavoy, Burmah.	Mr. W. Theobald.
7 B. auris-bovinæ.	Bruguière.	Feejee Islands.	Sir W. Denison.
8 B. auris-leporis.	,,	Brazil.	
9 B. Bairdii.	Reeve.	New Caledonia.	
10 B. Bengalensis.	Lamarck.	Bengal.	
11 B. Bontiæ.	Chemnitz.	South India.	
12 B. calcareus.	Wagner.	Brazil.	
13 B. Calista.	Broderip.	Philippines.	
14 B. candelaris.	Pfeiffer.	Cashmere.	Mr. W. T. Blanford.
15 B. Ceylanicus.	,,	Ceylon.	
16 B. Chloris.	Reeve.	Singapore.	
17 B. chrysalidiformis.	Sowerby.	Philippines.	
18 B. citrinus. var. *a* and *b*.	Bruguière.	Moluccas.	
19 B. cœlebs.	Benson.	Landour, &c.	
20 B. cœnopictus.	Hutton.	Bombay.	Mr. W. Theobald
21 B. Coquimbensis.	Sowerby.	Mountains of Coquimbo.	
22 B. Cuyoënsis.	Pfeiffer.	Philippines.	
23 B. dactylus.	Broderip.	,,	
24 B. Daphnis.	,,	,,	
25 B. decollatus.	Bruguière.	Dalmatia.	
26 B. Dufresnii.	Leach.	Van Dieman's Land.	
27 B. eous.	Reeve.	Hindoostan.	
28 B. Fairbanki.	Pfeiffer.	Ahmednuggur.	
29 B. Faunus.	Broderip.	Philippines.	
30 B. fulguratus.	Jay.	Feejee Islands.	
31 B. Funkii.	Nyst.	Venezuela.	
32 B. gallina-sultana.	Lamarck.	Brazil.	
33 B. goniostoma.	Ferussac.	,,	
34 B. Gossei.	Pfeiffer.	Jamaica.	

35 B. gracilis.	Hutton.	*a* Bundlecund, &c.	Sir W. Denison.
		b Island of Bombay,	
36 B. Guadaloupensis.	Bruguière.	West Indies.	
37 B. Jayanus.	Reeve.	Eastern Islands.	
38 B. Jerdoni.	Benson.	*a* The Dukhun.	Mr. W. T. Blanford.
		b Bombay, Dukhun, &c.	Sir W. Denison.
39 B. latebricola.	Benson.	Darjeeling.	Mr. H. Blanford.
40 B. lignarius.	Pfeiffer.	Philippines.	
41 B. lubricus.	Bruguière.	Britain.	Sir W. Denison.
42 B. Lyonnetianus.	Pallas.	Mauritius.	
43 B. Malabaricus.	Pfeiffer.	The Dukhun.	Mr. W. T. Blanford.
44 B. miltocheilus.	Reeve.	San Christoval.	
45 B. mus.	„	Philippines.	
46 B. oblongus.	Müller.	East coast of S. America.	
47 B. obscurus.	Drapernaud.	Britain.	
48 B. octonoides.	Adams.	Jamaica.	Sir W. Denison.
49 B. ovoideus.	Bruguière.	Philippines.	
50 B. Peruvianus.	„	Peru.	
51 B. Pfeifferianus.	Reeve.	Philippines.	
52 B. phasianellus.	Valenciennes.	Chili and Peru.	
53 B. pictor.	Broderip.	Penang.	
54 B. planidens.	Michelin.	Brazil.	
55 B. pudicus.	Deshayes.	„	
56 B. pullus.	Gray.	India.	Mr. W. Theobald.*
57 B. punctatus.	Anton.	*a* Bombay and Madras.***	
		b Nullahmallays.	Capt. R. H. Beddome.
58 B. pythogaster.	Ferussac.	Philippines.	
59 B. Reevii.	Cuming.	„	
60 B. Regina.	D'Orbigny.	Peru, &c.	
61 B. rosaceus.	King.	Brazil.	
62 B. segregatus.	Benson.	Simla.	Sir W. Denison.
63 B. signatus.	Wagner.	Brazil.	
64 B. Sindicus.	Benson.	Punjab.	Mr. W. Theobald
65 B. suffusus.	Reeve.	Hab ?	

66 B. sylvanus.	Broderip.	Philippines.	
67 B. Taunaysii.	D'Orbigny.	Brazil.	
68 B. tenebricus.	Reeve.	Sierra Leone.	M. Robillard.
69 B. Ticaonicus.	Broderip.	Island of Ticao.	
70 B. tri-fasciatus.	Chemnitz.	Ceylon.	
71 B. tri-lineatus.	Quoy and Gaimard.	New Holland.	
72 B. Tupacii.	D'Orbigny.	Bolivia.	
73 B. Zebra.	Müller.	South America.*	
74 B. zonulatus.	Pfeiffer.	Philippines.	

GENUS.—PARTULA. *Ferussac*, 1819.

1 P. abbreviata.	Pease.	Sandwich Islands.	Sir W. Denison
2 P. affinis.	"	"	"
3 P. alternata.	"	"	"
4 P. bilineata.	"	"	"
5 P. clara.	"	"	"
6 P. compacta.	"	"	"
7 P. crassa.	"	"	"
8 P. crassilabrum.	"	"	"
9 P. elongata.	"	"	"
10 P. faba.	Martyn.	"	"
11 P. Garrettii.	Pease.	"	"
12 P. gibba.	Ferussac.	"	"
13 P. globosa.	Pease.	"	"
14 P. gracilior.	"	"	"
15 P. Hebe.	Pfeiffer.	"	"
16 P. hyalina.	Broderip.	"	"
17 P. labiata.	Pease.	"	"
18 P. lignaria.	"	"	"
19 P. lineolata.	"	"	"
20 P. lugubris.	"	"	"
21 P. nucleola.	"	"	"
22 P. Otaheitana.	Bruguière.	"	"
23 P. producta.	Pease.	"	"
24 P. pulchra.	"	"	"
25 P. radiata.	Gould.	"	"
26 P. radiolata.	Pfeiffer.	"	"
27 P. recta.	Pease.	"	"
28 P. rosea.	Broderip.	"	"
29 P. rustica.	Pease.	"	"
30 P. simulans.	"	"	"
31 P. sinistrorsa.	"	"	"

32 P. solidula.	Reeve.	Sandwich Islands.	SirW.Denison.
33 P. striolata.	Pease.	"	"
34 P. trilineata.	"	"	"
35 P. turricula.	"	"	"
36 P. umbilicata.	"	"	"
37 P. varia.	Broderip.	"	"
38 P. variabilis.	Pease.	"	"
39 P. virginia.	"	"	"

Genus.—ACHATINELLA. *Swainson*, 1828.

1 A. abbreviata.	Reeve.	Sandwich Islands.	SirW.Denison.
2 A. affinis.	Newcomb.	"	"
3 A. albolabris.	"	"	"
4 A. bacca.	Reeve.	"	"
5 A. Bulimoides.	Swainson.	"	"
6 A. castanea.	Reeve.	"	"
7 A. colorata.	"	"	"
8 A. cornea.	Newcomb.	"	"
9 A. crassa.	"	"	"
10 A. cylindrica var B.	"	"	"
11 A. decora ?	Ferussac.	"	"
12 A. fulgens.	Newcomb.	"	"
13 A. fumosa.	"	"	"
14 A. fusca.	"	"	"
15 A. gigantea.	"	"	"
16 A. glabra.	"	"	"
" var B. elegans.	"	"	"
17 A. grana.	"	"	"
18 A. gravida.	Ferussac.	"	"
19 A. lugubris.	Chemnitz.	"	"
var B.	"	"	"
20 A. marmorata.	Gould.	"	"
21 A. melanostoma.	Newcomb.	"	"
22 A. mighelsiana.	Pfeiffer.	"	"
23 A. nitida.	Newcomb.	"	"
24 A. nubilosa.	Mighels.	"	"
25 A. nucleola.	Gould.	"	"
26 A. plicata.	Mighels.	"	"
27 A. prasina.	Reeve.	"	"
28 A. radiata.	Gould.	"	"
29 A. recta.	Newcomb.	"	"
30 A. Redfieldi.	"	"	"
31 A. rosea.	Swainson.	"	"

32 A. rugosa.	Newcomb.	Sandwich Islands.	Sir W. Denison.
33 A. sanguinea.	„	„	„
34 A. simulans.	Reeve.	„	„
35 A. spirizona.	Ferussac.	„	„
36 A. splendida.	Newcomb.	„	„
37 A. straminea.	Reeve.	„	„
38 A. Swifti.	Newcomb.	„	„
39 A. taeniolata.	Pfeiffer.	„	„
40 A. tessellata.	Newcomb.	„	„
41 A. turgida.	„	„	„
42 A. turritella.	Ferussac.	„	„
43 A. variabilis.	Newcomb.	„	„
44 A. venusta.	Mighels.	„	„
45 A. virgulata.	„	„	„
46 A. vitrea.	Newcomb.	„	„
47 A. vulpina.	Ferussac.	„	„ *

GENUS.—SPIRAXIS. *C. B. Adams*, 1850.

1 S. bicolor.	Jay.	Sandwich Islands.	M. Robillard.
2 S. Haughtoni.	?	Andamans.	

GENUS.—ACHATINA. *Lamarck*, 1799.

1 A. conifera.	Reeve.	Island of Reunion.	
2 A. crassilabris.	Benson.	N.E. frontiers, Bengal	
3 A. crassula.	„	Darjeeling.	
4 A. fulica.	Ferussac.	Mauritius.	Mr. E. Blyth.*
5 A. gemma.	Benson.	Ceylon.	Dr. Traill.
6 A. nitens.	Gray.	„	
7 A. octona.	„	West Indies.	Sir W. Denison.
8 A. orobia.	?	Darjeeling.	
9 A. panthera.	Ferussac.	Madagascar.	M. Robillard.
10 A. purpurea.	Lamarck.	Cape Palmas, W. Africa.	
11 A. tenuispira.	Benson.	Darjeeling.	
12 A. tornensis.	W.T. Blanford.	W. Ghauts, India.	Mr. W. T. Blanford.
13 A. variegata.	Roissy.	Sierra Leone.	
14 A. virginea.	Lamarck.	Cuba, &c.	
15 A. zebra.	Lamarck.	Cape of Good Hope.	

GENUS.—OLEACINA. *Bolton*, 1798.

1 O. leucozonias.	Sowerby.	Jamaica.	
2 O. nemorensis.	Adams.	„	Sir W. Denison.
3 O. Philippiana.	Pfeiffer.	*a* „	„
„ var, elegans.	„	*b* „	„

4	O. Philipsii.	Adams.	Jamaica.	Sir W. Denison.
5	O. procera.	„	„	„
6	O. propin qua.	„	„	„
7	O. similis.	„	„	„
8	O. venusta.	Pfeiffer.	„	

Genus.—PUPA. *Draparnaud*, 1805.

1	P. avenacea.	Bruguière.	Switzerland.	Sir W. Denison.
2	P. contracta.	Say.	Virginia, &c.	
3	P. dolium.	Draparnaud.	Switzerland.	„
4	P. edentula.	„	Britain.	„
5	P. frumentum.	„	Como.	„
6	P. Marmorata.	Pfeiffer.	Guadaloupe.	M.J.L.Laporte
7	P. Mauritiana.	?	Maurice Island.	M. Robillard.
8	P. megacheilos.	Jan.	Como.	Sir W. Denison.
9	P. Mumia.	Bruguière.	West Indies.	
10	P. muscorum.	Linnæus.	Britain.	„
11	P. obesa.	?	Island of Maurice.	M. Robillard.
12	P. ovata.	Say.	North America.	
13	P. quinquedentata.	Born.	France, Spain, &c.	Sir W. Denison.
14	P. secale.	Draparnaud.	Britain.	„
15	P. Sempronii.	Charpentier.	Pays de Vaud.	„
16	P. sulcata.	Müller.	Maurice Island.	M. Robillard.
17	P. umbilicata.	Draparnaud.	Britain.	
18	P. variabilis.	„	Switzerland.	Sir W. Denison.

Genus.—CYLINDRELLA. *Pfeiffer*, 1840.

1	C. Agnesiana.	Adams.	Jamaica.	
2	C. alba.	„	„	Sir W. Denison.
3	C. Baquieana.	Chitty.	„	
4	C. brevis.	Pfeiffer.	Ceylon.	Dr. Traill.
5	C. cylindrus.	Chemnitz.	Jamaica.	
6	C. elongata.	„	„	„
7	C. gracilis.	Wood.	„	Sir W. Denison.
8	C. intermedia.	?	„	„
9	C. lata.	Adams.	„	
10	C. Maugeri.	Wood.	„	„
11	C. nobilior.	Adams.	„	
12	C. rosea.	Pfeiffer.	*a* „	„
	„ var, major.		*b* „	
13	C. sanguinea.	„	„	Dr. Traill.
14	C. seminuda.	Adams.	„	
15	C. subula.	Ferussac.	„	Sir W. Denison.

16 C. tenella.	Adams.	Jamaica.	Sir W. Denison.
17 C. tricolor.	Pfeiffer.	„	
18 C. zonata.	Adams.	„	

Genus.—MEGASPIRA. *Lea*, 1834.

1 M. elatior.	Spix.	Brazil.	

Genus.—BALEA. *Prideaux*, 1824.

1 B. perversa.	Linnæus.	Bordeaux.	M.J.L.Laporte

Genus.—CLAUSILIA. *Draparnaud*, 1805.

1 C. bidens.	Linnæus.	Italy.	
2 C. Bielzi.	Parreyss.	Hungary, &c.	Sir W. Denison.
3 C. Bogatensis.	Bielz.	Transylvania.	„
4 C. canescens.	Parreyss.	„	„
5 C. commutata.	Rossmässler.	Illyria.	„
6 C. concilians.	A. Schmidt.	Transylvania.	„
7 C. conspersa.	Parreyss.	Janino.	„
8 C. coregrensis.	Mousson.	Corfu.	„
9 C. diodon.	Studer.	Liyano.	
10 C. elata.	Ziegler.	Buccovina.	„
11 C. elegans.	Bielz.	Transylvania.	„
12 C. Fussiana.	„	Konigstein.	„
13 C. Jös.	Benson.	Darjeeling.	
14 C. labiata.	Montagu.	France and Italy.	„
15 C. lævissima.	Ziegler.	Dalmatia.	„
16 C. laminata.	Montagu.	England.	„
17 C. latestriata.	Bielz.	Transylvania.	„
18 C. loxostoma.	Benson.	Sylhet.	Mr. W. Theobald.
19 C. Madensis.	Fuss.	Transylvania.	Sir W. Denison.
20 C. maesta.	Ferussac.	Palestine.	„
21 C. marginata.	Ziegler.	Transylvania.	
22 C. Meschenderferi.	Bielz.	„	„
23 C. nigricans.	Pulteney.	England.	„
24 C. pagana.	Ziegler.	Turkey.	„
25 C. parvula.	Studer.	Switzerland.	„
26 C. Philippiana.	Pfeiffer.	Moulmein.	Mr. W. Theobald.
27 C. plicata.	Draparnaud.	Germany, &c.	Sir W. Denison.
28 C. plumbea.	Rossmässler.	Kronstadt.	
29 C. rubilabris.	Mousson.	Jamaica.	„
30 C. rugosa.	Draparnaud.	France.	M.J.L.Laporte
31 C. senilis.	Ziegler.	Corfu.	Sir W. Denison.

32 C. straminicollis.	Parreyss.	Wallachia.	Sir W. Denison.
33 C. ventricosa.	Draparnaud.	Switzerland.	,,

Genus.—VITRINA. *Draparnaud.*

1 V. gigas.	Benson.	Sylhet.*	
2 V. major.	Ferussac.	South of France.	
3 V. præstans.	Gould.	Tavoy.	

Genus.—SUCCINEA. *Draparnaud.*

1 S. avara.	Say.	Massachusetts.	Sir W. Denison.
2 S. campestris.	,,	,,	,,
3 S. crassiuscula.	Benson.	Jaffna and India.	Dr. Traill.*
4 S. daucina.	Pfeiffer.	Calcutta.	Sir W. Denison.
5 S. Girnarica.	Theobald.	Girnar Hill, Katiawar.	
6 S. humerosa.	Gould.	Tahiti.	M. Robillard.
7 S. labiata.	?	,,	,,
8 S. Menkeana.	Pfeiffer.	New Holland.	Sir W. Denison.
9 S. obliqua.	Say.	North America.	
10 S. Pfeifferi.	Rossmässler.	Bordeaux.	
11 S. putris.	Linnæus.	*a* ,, *b* Britain.	

Family.—LIMACIDÆ.

Genus.—LIMAX.

1 L. carinatus.	Reeve.	Britain.	

Genus.—PARMACELLA. *Cuvier.*

1 P. Deshayesii.	Reeve.	Oran.	

Family.—LIMNÆIDÆ.

Tribe 1.—LIMNÆINÆ.

Genus.—CHILINA. *Gray.*

1 C. sp. ?	?	Chili, S. America.	

Genus.—LIMNÆA. *Lamarck*, 1799.

1 L. acuminata.	Lamarck.	*a* Calcutta. *b* Streepermatoor.**	
2 L. auricularia.	Draparnaud.	Europe.	
3 L. canalis.	Villa.	Bordeaux.	
4 L. columella.	Say.	North America.	
5 L. desidiosa.	,,	,,	
6 L, elodes.	,,	Pensylvania.*	
7 L. fusca.	Pfeiffer.	Valencia.	
8 L. glaber.	Müller.	Britain.	
9 L. humilis.	Say.	North America.	Sir W. Denison.

10 L. minuta.	Draparnaud.	France.	
11 L. ovata.	„	*a* Bordeaux.	
		b Tahiti.	M. Robillard.
12 L. palustris.	„	Britain.	
13 L. peregra.	„	France.	
14 L. stagnalis.	„	*a* Britain.	
		b Dalmatia.	M.J.L.Laporte
15 L. umbrosa.	Say.	North America. ?	
16 L. umbilicata.	„	„	

GENUS.—PHYSA. *Draparnaud*, 1801.

1 P. acuta.	Draparnaud.	Bordeaux.	
2 P. ancillaria.	Say.	North America.	
3 P. elongata.	„	„	
4 P. fusca.	Rossmässler.	Mazzaron.	
5 P. heterostropha.	Say.	North America.	SirW.Denison.
6 P. hypnorum.	Linnæus.	Transylvania.	„

TRIBE.—ANCYLINÆ.

GENUS.—ANCYLUS. *Geoffroy*, 1767.

1 A. fluviatilis.	Müller.	Britain.	
2 A. striatus.	Dupuy.	Bordeaux.	

SUB-ORDER.—THALASSOPHILA.

FAMILY.—AMPULLACERIDÆ.

GENUS.—AMPULLACERA. *Quoy*, 1832.

1 A. nux-avellana.	Quoy & Gaimard.	New Holland.	

GENUS.—AMPHIBOLA.

1 A. Burmana.	W.T.Blanford.	Pegu.	Mr.W.T.Blanford.

FAMILY.—SIPHONARIIDÆ. *Gray*, 1840.

GENUS.—SIPHONARIA. *Sowerby*, 1824.

1 S. amosa.	?	Kingsmill Island.	M. Robillard.
2 S. Diemensis. ?	Quoy&Gaimard.	VanDieman'sLand.	

TRIBE.—PLANORBINÆ.

GENUS.—PLANORBIS. *Guettard*, 1756.

1 P. armigerus.	Say.	North America.	
2 P. bicarinatus.	„	*a* „	SirW.Denison.
		b America.	
3 P. bituberculatus.	„	Massachusetts.	

4 P. campanulatus.	Say.	North America.	
5 P. carinatus.	Müller.	Britain.	
6 P. complanatus.	Lamarck.	Mæstricht.	Sir W. Denison.
7 P. compressus.	Benson.	Lower Bengal.	
8 P. contortus.	Müller.	Britain & France.	
9 P. corneus.	Draparnaud.	Bordeaux.	
10 P. coromandus.	?	Madras.	
11 P. deflectus.	Say.	North America.	
12 P. dilatatus.	Gould.	„	
13 P. hispidus.	Draparnaud.	Switzerland.	Sir W. Denison.
14 P. janinensis.	Mousson.	Jamaica.	„
15 P. lentus.	Say.	North America.	
16 P. nitidus.	Müller.	Dulendorf.	Sir W. Denison.
17 P. parvus.	Say.	North America.	
18 P. Rossmässleri.	Auerswald.	Leipzig.	
19 P. spirorbis.	Müller.	Britain.	
20 P. trivolvis.	Say.	Tennessee.	Sir W. Denison.
21 P. virens.	Adams.	America.	
22 P. vortex.	Müller.	Britain.	

FAMILY.—AURICULDIÆ. *Risso*, 1828.

SUB-FAMILY 2.—MELAMPEA. *Pfeiffer*, 1853.

GENUS.—MELAMPUS. *Montfort*, 1810.

1 M. caffer.	Küster.	Tahiti.	M. Robillard.
2 M. castaneus.	Muhlfeld.	Sandwich Island.	„ *
3 M. cinctus.	Pease.	*a* Kingsmill Island.	„
		b „	Sir W. Denison.
4 M. coffea.	Linnæus.	America.	
5 M. fasciatus.	Deshayes.	*a* Tahiti.	„ *
		b Ceylon.	
young.		*c* Labuan.	
6 M. leuteus.	Quoy & Gaimard.	Tahiti.	„
7 M. parvulus.	Nuttall.	Sandwich Islands.	M. Robillard.
8 M. Philippi.	Küster.	„	Sir W. Denison.
9 M. pusillus.	Gmelin.	Ceylon.	
10 M. semiplicata.	Pease.	Sandwich Islands.	„
11 M. striatus.	„	Tahiti.	„

SUB-FAMILY 3.—AURICULEA.

GENUS.—PYTHIA. *Bolten*, 1798.

1 P. Borneensis.	A. Adams.	Borneo.	
2 P. castanea.	Lesson.	Philippines.	

3 P. leopardus.	Reeve.	New Georgia.	
4 P. plicata.	Ferussac.	India, Jaffna, Ceylon.	
5 P. striata.	Reeve.	San Nicholas.	
6 P. trigona.	Troschel	*a* Isld. of Luzon.	
		b Arracan.	Mr. W. T. Blanford.

GENUS.—CASSIDULA. *Ferussac*, 1819.

1 C. auris-felis.	Bruguière.	*a* Arracan.	Mr. W. T. Blanford.
		b Bombay.	,,
2 C. mustelina.	Deshayes.	New Zealand.	

GENUS.—AURICULA. *Lamarck*, 1799.

1 A. auris-Judæ.	Linnæus.	Vizagapatam.	
2 A. auris-Midæ.	,,	Malacca, &c.	
3 A. fustis.	Benson, M. S.	Bombay.	Mr. W. T. Blanford.
4 A. Gangetica.	Benson.	Delta of the Ganges.	,,
5 A. integra.	Say.	America.	

GENUS.—ALEXIA. *Leach*, 1847.

1 A. denticulata ?	Montagu.	Britain.	
2 A. microstoma ?	Küster.	Dalmatia.	
3 A. myosotis.	Draparnaud.	France.	Sir W. Denison.

GENUS.—LEUCONIA. *Gray*, 1840.

1 L. bidentata.	Montagu.	Britain.	

GENUS.—CARYCHIUM. *O. F. Müller*, 1774.

1 C. exiguum.	Say.	United States.	

FAMILY.—PROSERPINACEA. *Gray*.

GENUS.—PROSERPINA. *Gray*, 1840.

1 P. nitida.	Gray.	Jamaica.	Sir W. Denison.

PNEUMONOPOMA.

SUB-ORDER 1.—OPISTHOPTHALMA.

FAMILY 1.—ACICULACEA.

GENUS.—GEOMELANIA. *Pfeiffer*, 1845.

1 G. minor.	C. B. Adams.	Jamaica.	

GENUS.—TRUNCATELLA. *Risso*, 1826.

1 T. Ceylanica.	Pfeiffer.	Ceylon.	
2 T. Montagui.	Lowe.	Southampton.	

Family 2.—DIPLOMMATINACEA.

Genus.—DIPLOMMATINA. *Benson*, 1849.

1	D. Blanfordiana.	Benson.	Darjeeling.	Mr. H. Blanford.
2	D. diplocheilus.	„	Teria Ghaut.	Mr. W. Theobald.
3	D. liricincta.	W.T. Blanford.	Western Ghauts, near Bombay.	Mr. W.T.Blanford.
4	D. pachycheilus.	Benson.	Darjeeling.	Mr. H. Blanford.
5	D. pullula.	„	„	„

Sub-Order 2.—ECTOPHTHALMA, 1852.

Family 1.—CYCLOSTOMACEA.

Sub-Family 1.—CYCLOTEA.

Genus.—CYCLOTUS. *Guilding*, 1840.

1	C. Deccanense.	W.T. Blanford.	Western Ghauts.	Mr.W.T.Blanford.
2	C. filocinctus.	Benson.	Neilgherries.	Mr.H.Blanford
3	C. Malabaricus.	W. & H.Blanford.	Pykara, Neilgherries.	„
4	C. suturalis.	Sowerby.	Jamaica.	SirW.Denison.
5	C. variegatus.	Swainson.	Ceylon.	

Genus.—OPISTHOPORUS. *Benson*, 1855.

1	O. biciliatus.	Mousson.	Borneo.	SirW.Denison.
2	O. birostris.	Pfeiffer.	Borneo & Sarawak.	„

Genus.—PTEROCYCLOS. *Benson*, 1832.

1	P. bilabiatus.	Benson.	Salem, South India.	
2	P. hispidus.	Pearson.	Khasia Hills.	Mr. W. Theobald.
3	P. rupestris.	Benson.	*a* Cuttack, India.*	
			b Nullahmallays.	Captain R. H. Beddome.
4	P. tenuilabiatus. ?	Metcalfe.	Borneo.	

Genus.—ALYCÆUS. *Gray*, 1850.

1	A. Bembex.	Benson.	Darjeeling.	Mr. H. Blanford.
2	A. exul.	Blanford.	Neilgherries.	„
3	A. Otiphorus.	Benson.	Darjeeling.	„
4	A. plectocheilus.	„	„	„

5	A. prosectus.	Benson.	Teria Ghaut.	Mr. W. Theobald.
6	A. stylifer.	„	Darjeeling.	Mr. H. Blanford.
7	A. Urnula.	„	„	„

GENUS.—OPISTHOSTOMA. *Blanford*, 1864.

1	O. macrostoma.	S. N. Beddome.	Bramahmullays, S. Wynaud.	Captain R. H. Beddome.

GENUS.—HYBOCYSTIS. *Benson*, 1859.

1	H. gravida.	Benson.	Moulmein.	Mr. W. Theobald.

SUB-FAMILY 2.—CYCLOPHOREA.

GENUS.—CYCLOPHORUS. *Montfort*, 1810.

1	C. annulatus.	Troschel.	*a* Ceylon.	
	„ small var.		*b* „	
2	C. aquila.	Sowerby.	Burmah.	
3	C. Aurora.	Benson.	Darjeeling.	
4	C. Bensoni.	Pfeiffer.	Assam.	
5	C. Borneensis.	Metcalfe.	Borneo.	
6	C. cœloconus.	Benson.	Neilgherries.	
7	C. cuspidatus.	„	„	Mr. W. T. Blanford.
8	C. excellens.	Pfeiffer.	Moulmein.	Mr. W. Theobald.
9	C. expansus.	„	Pegu.	„
10	C. fulguratus.	„	Thayet Myo.	„
11	C. Himalayanus.	„	Darjeeling.	„
12	C. Indicus.	Deshayes.	Matheran, Bombay.	
13	C. involvulus.	Müller.	Midnapore.*	„
14	C. patens.	W. T. Blanford.	Pegu.	Mr. W. T. Blanford.
15	C. Pearsoni.	Benson.	Chittagong.	Mr. W. Theobald.
16	C, perdix.	Broderip, and Sowerby.	Singapore.	
17	C. Phænotopicus.	Benson.	Darjeeling.	
18	C. pyrotrema.	„	Rajmahal.	
19	C. Scurra.	„	Pegu.	Mr. W. T. Blanford.
20	C. semisulcatus.	Sowerby.	Malacca.	

21 C. Siamensis.	Sowerby.	Teria Ghat.	Mr. W. Theobald.
22 C. stenomphalus.	Pfeiffer.	Elephanta, Bombay.	
23 C. stenostomus.	Sowerby.	Neilgherries.*	
24 C. Theobaldianus	Benson.	Tenasserim.	
25 C. tigrinus.	Sowerby.	Philippines.	
26 C. tuba.	,,	Malacca.	
27 C. zebrinus.	Benson.	Khasia Hills.	Mr. W. Theobald.

GENUS.—LEPTOPOMA. *Pfeiffer*, 1847.

1 L. aspirans.	Benson.	Tenasserim Valley.	Mr. W. Theobald.
2 L. sericatum.	Pfeiffer.	Island of Daat, Borneo.*	

GENUS.—DERMATOCERA. *H, and A. Adams.*

1 D. vitrea.	Lesson.	Island of Puppan, near Labuan.	

SUB-FAMILY 3.—PUPINEA.

GENUS.—MEGALOMASTOMA. *Guilding*, 1840.

1 M. funiculatum.	Benson.	Darjeeling.	Mr.H.Blanford.

GENUS.—CATAULUS. *Pfeiffer.*

1 C. recurvatus.	Pfeiffer.	Anamallays.	Capt.R.H. Beddome.*

GENUS.—ARINIA. *H. and A. Adams*, 1852.

1 A. Nilgirica.	Blanford.	Pykara,Neilgherries.	Mr. H. Blanford.

GENUS.—PUPINA. *Vignard*, 1829.

1 P. Ottonis.	Dohrn.	Isld. of Mindanao.	

SUB-FAMILY 4.—LICINEA.

GENUS.—CHOANOPOMA. *Pfeiffer*, 1847.

1 C. decussatum.	Lamarck.	Porto-rico.	
2 C. fimbriatulum.	Sowerby,	Jamaica.	SirW.Denison.
3 C. Lincina.	Linnæus.	,,	,,

GENUS.—CYCLOTOPSIS. *W. T. Blanford*, 1864.

1 C. semistriatus.	Sowerby.	Poonah.	Mr.W.T.Blanford.
2 C. subdiscoidens.	,,	*a* Orissa.	
		b Nullahmallays	Capt.R.H.Beddome.

Genus.—ADAMSIELLA. *Pfeiffer*, 1851.

1 A. ignilabris.	Adams.	Jamaica.	Sir W. Denison.
2 A. monstrosa.	C. B. Adams.	„	„
3 A. pulchrior.	„	„	„
4 A. variabilis.	„	„	„

Sub-Family.—CYCLOSTOMEA.

Genus.—OTOPOMA. *Gray*, 1850.

1 O. Hinduorum.	W. T. Blanford.	Kattiawar.	
2 O. Listeri.	Gray.	Mauritius.	M. Robillard.

Genus.—CYCLOSTOMUS. *Montfort*, 1810.

1 C. aplustre.	Sowerby.	Madagascar.	
2 C. articulatus.	Gray.	Island of Rodrigues.	M. Robillard.
3 C. Bronni.	Adams.	Jamaica.	Sir W. Denison.
4 C. costulatus.	Ziegler.	Hermannstadt.	„
5 C. elegans.	Müller.	*a* Britain.	
		b Bordeaux.	
6 C. occlusus.	Mörch.	Madagascar.	M. Robillard.
7 C. retrosus.	C. B. Adams.	Jamaica.	Sir W. Denison.
8 C. tricarinatus.	Müller.	Mauritius, very rare, never found alive.	M. Robillard.

Genus.—TUDORA. *Gray*.

1 T. armata.	Adams.	Jamaica.	Sir W. Denison.
2 T. columna.	Wood.	„	„
3 T. maritima.	C. B. Adams.	„	„

Sub-Family 7.—POMATIATEA. *Pfeiffer*.

Genus.—POMATIAS. *Studer*, 1789.

1 P. Carthusianus,	Dupuy.	Savoy.	Sir W. Denison.
2 P. cinerascens.	Rossmässler.	Italy.	„
3 P. Himalayæ.	Benson.	Darjeeling.	Mr. H. Blanford.
4 P. maculatus.	Draparnaud.	*a* Pyrenees.	Sir W. Denison.
		b Verona.	„
5 P. patulus.	„	France.	„
6 P. striolatus	Porro.	Genoa.	„
7 P. tessellatus.	Wiegmann.	Corfu.	„

Genus.—HYDROCENA. *Parreyss*, 1843.

1 H. robusta.	?	Tahiti.	M. Robillard.
2 H. Tahitensis.	Pease.	„	„
3 H. varia.	?	„	„

GENUS.—OMPHALOTROPIS. *Pfeiffer*, 1851.

1	O. Layardi.	?	Hab. ?	M. Robillard.
2	O. vario.	?	Mauritius.	„

FAMILY 2.—HELICINACEA.

SUB-FAMILY 1.—STOASTOMEA.

GENUS.—STOASTOMA. *C. A. Adams*, 1849.

1	S. succineum.	Sowerby.	South Spain.	

SUB-FAMILY 2.—HELICINEA.

GENUS.—TROCHATELLA. *Swainson*, 1840.

1	T. pulchella.	Gray.	Jamaica.	
2	T. Tankervillii.	„	„	

GENUS.—LUCIDELLA. *Swainson*, 1840.

1	L. aureola.	Ferussac.	Jamaica.	Sir W. Denison.

GENUS.—HELICINA. *Lamarck.*

1	H. Adamsiana.	Pfeiffer.	Jamaica.	Sir W. Denison.
2	H. albolabris.	Jacquinot.	Tahiti.	„
3	H. costata.	Gray.	Jamaica.	„
4	H. discoidea.	?	Tahiti.	M. Robillard.
5	H. faba.	?	„	„
6	H. maxima.	Sowerby.	Jamaica.	Sir W. Denison.
7	H. neritella.	Lamarck.	Barbadoes.	
8	H. pisum.	Jacquinot.	Tahiti.	M. Robillard.
9	H. rufescens.	?	„	„
10	H. solida.	?	„	„

GENUS.—ALCADIA. *Gray*, 1842.

1	A. Brownei.	Gray.	Jamaica.	Sir W. Denison.
2	A. consanguinea.	Adams.	„	„
3	A. Hollandi.	„	„	„
4	A. megastoma.	„	„	„
5	A. palliata.	„	„	„

SUB-FAMILY.—GEORISSEA.

GENUS.—GEORISSA. *W. T. Blanford.*

1	G. Frustrillum.	Benson.	Ava.	Mr. W. Theobald.

SUB-ORDER.—PROSOPHTHALMA.

FAMILY.—ASSIMINIIDÆ.

GENUS.—ASSIMINIA. *Leach*, 1816.

1	A. faciata.	?	Hooghly.	
2	A. Grayana.	?	Britain.	

3 A. miniata.	Von Martens.	Singapore.	
4 A. rotundata.	Fairbank.	Bombay.	Mr. W. T. Blanford.
5 A. rubella.	W. T. Blanford.	Pegu.	"
6 A. sub-conica.	Leith.	Bombay.	"
7 A. sulcata.	Benson.	Banks of Hooghly.	

2d SUB-DIVISION.

Class.—CONCHIFERA. *Lamarck*, 1818.

Order 1.—PHOLADACEA. *Blainville*, 1818.

Family 1.—PHOLADIDÆ. *Leach*, 1819.

Sub-Family.—PHOLADINÆ. *H. and A. Adams*, 1855.

Genus.—PHOLAS. *Linnæus*, 1757.

1 P. Bakeri ? Deshayes. Madras.

Genus.—DACTYLINA. *Gray*, 1847.

1 D. dactylus. Linnæus. Britain.

Genus.—BARNEA. *Leach*, 1826.

1 B. parva. Linnæus. Britain.

Genus.—PHOLADIDEA. *Turton*, 1819.

1 P. papyracea. Solander. Britain.

Genus.—MARTESIA. *Leach*, 1847.

1 M. striata. Linnæus. Burmah (probably) { Was cut out of a log of Teak at the Museum.

Sub-Family 2.—TEREDININÆ. *H. and A. Adams*, 1855.

Genus.—TEREDO. *Linnæus*, 1757.

1 T. corniformis. Lamarck. Tropical Seas.
2 T. navalis. Linnæus. European Seas.

Family 2.—GASTROCHÆNIDÆ. *Gray*, 1840.

Genus.—GASTROCHÆNA. *Lamarck*, 1818.

1 G. modiolina. Lamarck. Britain.

Genus.—CLAVAGELLA. *Lamarck*, 1807.

1 C. aperta. Sowerby. Malta.

Genus.—ASPERGILLUM. *Lamarck*, 1809.

1 A. disjunctum. Deshayes. Hab. ?

FAMILY 3.—SOLENIDÆ. *Latreille*, 1825.

SUB-FAMILY 1.—SOLENINÆ. *H. and A. Adams.*

GENUS.—SOLEN. *Linnæus*, 1757.

1	S. corneus ?	Lamarck.	Java.	
2	S. ensis.	Linnæus.	Britain, &c.	
3	S. siliqua.	”	” *	
4	S. vagina.	”	Indian Seas.*	

SUB-FAMILY 2.—PHARINÆ. *H. and A. Adams.*

GENUS.—PHARUS. *Leach*, 1840.

1	P. legumen.	Linnæus.	Britain.	

GENUS.—CULTELLUS. *Schumacher*, 1817.

1	C. cultellus.	Linnæus.	Ceylon.	Sir W. Denison.
2	C. lacteus.	Spengler.	Malacca.	

GENUS.—MACHÆRA. *Gould*, 1841.

1	M. radiata.	Linnæus.	*a* Bay of Bengal.	
			b Madras Coast.***	

GENUS.—SOLECURTUS. *Blainville*, 1824.

1	S. strigilatus.	Linnæus.	Ceylon.	Sir W. Denison

GENUS.—NOVACULINA. *Benson*, 1830.

1	N. Gangetica.	Benson.	Calcutta.	
2	N. olivacea.	Metcalfe.	Malacca.	

FAMILY 4.—GLYCIMERIDÆ. *Deshayes*, 1839.

GENUS.—SAXICAVA. *Fleuriau de Bellevue*, 1802.

1	S. rugosa.	Linnæus.	Britain.	

GENUS.—PANOPÆA. *Menard de la Groye*, 1807.

1	P. Aldrovandi,	Lamarck.	Portugal.	

GENUS.—GLYCIMERIS. *Lamarck*, 1801.

1	G. siliqua.	Chemnitz.	America.*	

FAMILY 5.—MYIDÆ. *Gray*, 1839.

GENUS.—MYA. *Linnæus*, 1747.

1	M. arenaria.	Linnæus.	European Ocean.*	

FAMILY 6.—CORBULIDÆ. *Broderip*, 1839.

GENUS.—CORBULA. *Bruguière*, 1792.

1	C. nucleus.	Lamarck.	Britain.	
2	C. polita.	Hinds.	Philippines.	

FAMILY 7.—ANATINIDÆ. *D'Orbigny*, 1845.

GENUS.—ANATINA. *Lamarck*, 1809.

1	A. Cumingii.	Valenciennes.	Hab. ?	

Genus.—LYONSIA. *Turton*, 1822.

1	L. norvegica.	Chemnitz.	Britain.

Genus.—THRACIA. *Leach*, 1824.

1	T. villosiuscula	McGillivray.	Britain.

Genus.—NEÆRA. *Gray*, 1834.

1	N. cuspidata.	Olivier.	Britain.

Genus.—PANDORA. *Bruguière*, 1792.

1	P. obtusa.	Lamarck.	Britain.

Genus.—MYODORA. *Gray*, 1840.

1	M. ovata.	Reeve.	Moreton Bay.

Genus.—MYOCHAMA. *Stutchbury*, 1830.

1	M. transversa.	Adams.	Moreton Bay.

Genus.—CHAMOSTREA. *DeRoissy*, 1805.
CLEIDOTHERUS. *Stutchbury*, 1829.

1	C. albida,	Lamarck.	Sydney.

Order 2.—VENERACEA. *Menke*, 1830.

Family 8.—MACTRIDÆ. *Gray*, 1840.

Sub-Family 1.—MACTRINÆ. *H. and A. Adams.*

Genus.—MACTRA. *Linnœus*, 1767.

1	M. attenuata.	Deshayes.	Madras.	
2	M. decora.	,,	Hab. ?	
3	M. egena ?	,,	,,	
4	M. elliptica.	Brown.	British Seas.	
5	M. exoleta.	Gray.	Cape Horn.	
6	M. lævis.	Chemnitz.	*a* Philippines.	
			b Madras.*	
7	M. ornata.	Gray.	Ceylon.	Sir W. Denison.
8	M. plicataria.	Linnæus.	Sumatra.	
9	M. Reevesii.	Gray.	Malacca.	
10	M. solidissima.	Chemnitz.	Massachusetts.	
11	M. stultorum.	Linnæus.	Britain.	
12	M. subtruncata.	Montagu.	,,	
13	M. symmetrica.	Deshayes.	Ceylon.*	
14	M. transversa.	,,	Singapore.	
15	M. triangularis.	Lamarck.	Hab. ?	
16	M. truncata.	Montagu.	Britain.	
17	M. violacea.	Chemnitz.	Malacca.	

GENUS.—RANGIA. *Desmoulins*, 1832.

1	R. cyrenoides.	Desmoulins.	LakePontchartrain.	M.J.L.Laporte

SUB-FAMILY 2.—LUTRARIINÆ. *H. and A. Adams.*

GENUS.—LUTRARIA. *Lamarck*, 1799.

1	L. oblonga.	Turton.	Britain.	

FAMILY 9.—TELLINIDÆ.

SUB-FAMILY 1.—TELLININÆ.

GENUS.—ASAPHIS. *Modeer*, 1793.

1	A. rugosa.	Lamarck.	Reunion Island.	M. Robillard.

GENUS.—PSAMMOBIA. *Lamarck*, 1818.

1	P. amethystus.	E. L. Layard.	Ceylon.	SirW.Denison.
2	P. cærulescens.	Lamarck.	„	„
3	P. Ferroensis.	Chemnitz.	Britain.	
4	P. Malaccana.	Reeve.	Malacca.	
5	P. occidens.	Chemnitz.	Ceylon.*	„
6	P. Tellinella.	Lamarck.	Britain.	
7	P. tripartita.	Deshayes.	Aden.	
8	P. vespertina.	Gmelin.	Britain ?	

GENUS.—SANGUINOLARIA. *Lamarck*, 1799.

1	S. sanguinolenta.	Gmelin.	Philippines.	

GENUS.—SOLETELLINA. *Blainville*, 1824.

1	S. diphos.	Linnæus.	Malacca.*	

SUB-GENUS.—PSAMMOTELLA. *Blainville*, 1826.

1	P. Skinneri ?	Reeve.	Ceylon.	

GENUS.—TELLINA. *Linnæus*, 1758.

1	T. capsoides.	Lamarck.	Island of St. Pierre.	
2	T. carnaria.	Linnæus.	La Guayra.	M.J.L.Laporte
3	T. crassa.	Pennant.	Britain.	
4	T. depressa.	Gmelin.	Cayenne.	„
5	T. donacina.	Linnæus.	Britain.	
6	T. foliacea.	„	Indian Ocean.	
7	T. lingua-felis.	„	„ *	
8	T. pisiformis.	Lamarck.	Jamaica.	
9	T. radiata.	Linnæus.	The Antilles.	„
10	T. rostrata.	„	Indian Ocean.*	
11	T. solidula.	Pulteney.	Britain.*	
12	T. Spengleri.	Chemnitz.	Malacca.	
13	T. staurella.	Lamarck.	New Holland.	
14	T. subar.	?	Kingsmill Island.	M. Robillard.

15	T. tenuis.	DaCosta.	Atlantic.	M.J.L.Laporte
16	T. Tongana.	Quoy.	Tonga Tabou.	
17	T. unimaculata.	Lamarck.	The Antilles.	„
18	T. virgata.	Linnæus.	*a* The Indian Ocean.*	
			b Ceylon.	Sir W.Denison.

GENUS.—LUCINOPSIS. *Forbes and Hanley*, 1848.

1	L. undata.	Pennant.	Britain.	

SUB-FAMILY.—DONACINÆ.

GENUS.—DONAX. *Linnæus*, 1758.

1	D. anatinus.	Lamarck.	British Seas.	
2	D. cuneata.	Linnæus.	*a* Ceylon.	
			b Madras.***	
3	D. deltoides.	Lamarck.	Brisbane, Australia.	
4	D. denticulata.	Linnæus.	West Indies.	
5	D. scortum.	„	*a* Madras.***	
			b Cape of Good Hope.	

GENUS.—IPHIGENIA. *Schumacker*, 1817.

1	I. media.	Shuttleworth.	West Indies.	

GENUS.—CAPSA. *Lamarck*, 1818.

1	C. deflorata.	Linnæus.	Eastern Seas.	

GENUS.—GALATEA. *Bruguière*, 1792.

1	G. radiata.	Lamarck.	Ceylon, &c.	

SUB-FAMILY 3.—SCROBICULARIINÆ.

GENUS.—SCROBICULARIA. *Schumacher*, 1817.

1	S. piperata.	Gmelin.	Britain.	

GENUS.—AMPHIDESMA. *Lamarck*, 1818.

1	A. scabra.	Hanley.	Philippines.	

GENUS.—CUMINGIA. *Sowerby*, 1833.

1	C. eucharis.	Reeve.	West Indies.	

SUB-FAMILY 4.—PAPHIINÆ. *H. and A. Adams.*

GENUS.—MESODESMA. *Deshayes*, 1830.

1	M. crassula.	Deshayes.	Hab. ?	
2	M. glabrata.	?	Island of Reunion.	M. Robillard.
3	M. nitida.	Deshayes.	Hab. ?	
4	M. ovalis.	„	New Zealand.	
5	M. striata.	„	Hab. ?	

Family 10.—VENERIDÆ. *H. and A. Adams.*

Sub-Family 1.—VENERINÆ. *H. and A. Adams.*

Genus.—VENUS. *Linnæus*, 1758.

1	V. alatus.	Reeve.	Swan River.**	
2	V. Columbiensis.	Sowerby.	St. Elena.	
3	V. crispata ?	Deshayes.	Hab. ?	
4	V. fasciata.	DaCosta.	Britain.	
5	V. Gnidia.	Broderip and Sowerby.	San Blas, Mexico.	
6	V. Isabellina.	Philippi.	Sydney.*	Sir W. Denison.
7	V. Lamarckii.	Gray.	China.	
8	V. Listeri.	„	Philippines.	
9	V. lyra ?	Hanley.	Gulf of Guinea.	
10	V. mercenaria.	Linnæus.	North America.	
11	V. ovata.	Pennant.	W. Coast of Britain.	
12	V. plicata.	Gmelin.	West Africa.	
13	V. puerpera.	Linnæus.	Philippines.	
14	V. resticulata.	Sowerby.	Rogers' Straits.	Sir W. Denison.
15	V. reticulata.	Linnæus.	Philippines.	
16	V. striatula.	DaCosta.	Britain.	
17	V. verrucosa.	Linnæus.	„	

Genus.—CYTHEREA. *Lamarck*, 1805.

18	C. castanea.	Lamarck.	Indian Ocean.*	
19	C. creplini.	Dunker.	Cannanore.	Mr. W. T. Blanford.
20	C. impudica.	Lamarck.	*a* India. *b* Labuan.*	
21	C. morphina.	„	Ceylon.**	
22	C. ovum.	Hanley.	Madras.*	

Genus.—DIONE. *Gray*, 1847.

1	D. aurantia.	Gray.	Acapulco, South America.	
2	D. chione.	Linnæus.	Seas of Europe.	
3	D. erycina.	„	Ceylon.*	
4	D. festiva.	Sowerby.	Eastern Seas.	
5	D. Hagenowi.	Dunker.	Red Sea.	Sir H. Barkly.
6	D. impar.	Lamarck.	Swan River, Australia.	Sir W. Denison.
7	D. rosea.	Broderip and Sowerby.	Panama.	

Genus.—MEROE. *Schumacher*, 1817.

1	M. hians.	Reeve.	Madras.*	
2	M. picta.	Lamarck.	Indian Ocean.**	
3	M. seminuda.	Philippi.	Moluccas.*	
4	M. scripta.	Rumphius.	Indian Ocean.*	
5	M. Solandri.	Gray.	Madras Coast.**	
6	M. truncata.	Deshayes.	*a* Philippines.	
			b Madras Coast.**	
			c Vizagapatam.	

Genus.—CIRCE. *Schumacher*, 1817.

1	C. castrensis.	Linnæus.	Indian Ocean.	
2	C. divaricata.	Chemnitz.	*a* Bombay.	Mr.W.T.Blanford.
			b Indian Ocean.	
3	C. gibba.	Lamarck.	„	
4	C. lentiginosa.	Chemnitz.	Aden.	
5	C. pectinata.	Linnæus.	Kingsmill Island.	M. Robillard.
6	C. scripta.	„	Indian Ocean.*	
7	C. Sowerbyi.	Deshayes.	Philippines.	
8	C. trimaculata.	Lamarck.	Ceylon ?*	SirW.Denison.

Sub-Family 2.—DOSINIINÆ.

Genus.—DOSINIA. *Scopoli*, 1777.

1	D. exoleta.	Deshayes.	Britain.	
2	D. fibula.	Reeve.	Pulicat.*	
3	D. laminata.	„	Philippines.	
4	D. lincta.	Deshayes.	Britain.	
5	D. Patagonica.	Philippi.	Patagonia.	
6	D. penicillata ?	Reeve.	*a* Hab. ?	
			b Malacca.	

Sub-Family 3.—TAPESINÆ.

Genus.—TAPES. *Megerle*, 1811.

1	T. aurea.	Gmelin.	Constantinople.	M. Robillard.
			b Britain.	
2	T. Bruguièri.	Hanley.	Vizagapatam.	
3	T. decussata.	Linnæus.	*a* Toulon.	M. Robillard.
			b Britain.	
			c Atlantic Ocean.	M.J.L.Laporte
4	T. literata.	„	*a* W. Australia.	SirW.Denison.
			b Indian Ocean.	
5	T. marmorata.	Lamarck	Bombay.*	
6	T. pullastra.	Montagu.	Britain.	

7	T. quadriradiata.	Deshayes.	Ceylon ?	Sir W. Denison.
8	T. radiata.	Chemnitz.	Indian Ocean.	
9	T. rotundata.	Linnæus.	Ceylon.*	
10	T. textrix.	Chemnitz	Malacca.*	
11	T. virginea.	Linnæus.	Britain.	

GENUS.—VENERUPIS. *Lamarck*, 1818.

1	V. Irus.	Linnæus.	Britain.

GENUS.—CYPRICARDIA. *Lamarck*, 1819.

1	C. vellicata.	Reeve.	Philippines.

FAMILY 11.—PETRICOLIDÆ.

GENUS.—PETRICOLA. *Lamarck*, 1801.

1	P. lithophaga.	Retzius.	Mediterranean.

FAMILY 12.—GLAUCONOMYIDÆ.

GENUS.—GLAUCONOMA. *Gray*, 1828.

1	G. rugosa.	Hanley.	Malacca.

FAMILY 13.—CYPRINIDÆ.

GENUS.—CYPRINA. *Lamarck*, 1812.

1	C. islandica.	Lamarck.	Britain.

FAMILY 14—CYRENIDÆ.

GENUS.—CYRENA. *Lamarck*, 1806.

1	C. Bengalensis.	Deshayes.	Sunderbunds, Bengal.	Mr. W. T. Blanford.
2	C. Ceylanica ?	Chemnitz.	Rutnagherry.	,,
3	C. fuscata.	Lamarck.	Moulmein.	
4	C. Malaccensis.	?	Malacca.	
5	C. Sumatrensis.	Sowerby.	Sumatra.*	

GENUS.—CYCLAS. *Bruguière*, 1792.

1	C. cornea.	Linnæus.	Britain.*	
2	C. Linslayi	?	America ?*	
3	C. modesta.	Pfeiffer.	,,	
4	C. nucleus.	Normand.	Bordeaux.	M. J. L. Laporte
5	C. ovalis.	Stimpson.	,,	,,
6	C. partumeia.	Say.	America.*	
7	C. similis.	,,	,, *	

GENUS.—PISIDIUM. *Pfeiffer*, 1821.

1	P. dubium.	Say.	America.
2	P. pusillum.	Gmelin.	Britain.

Family 16.—CARDIIDÆ.

Genus.—CARDIUM. *Linnæus*, 1758.

1	C. alternatum.	Sowerby.	Australia.	Sir W. Denison.
2	C. cardissa.	Linnæus.	Eastern Seas.	
3	C. costatum.	„	E. Coast of Africa.	
4	C. echinatum.	„	European Seas.	
5	C. edule.	„	„ *	
6	C. elatum.	Sowerby.	California.	
7	C. enode.	„	Ceylon.	
8	C. fimbriatum.	Wood.	China.	
9	C. hemicardium.	Linnæus.	Philippines.*	
10	C. latum.	Born.	„ *	
11	C. lyratum.	Sowerby.	„	
12	C. multispinosum.	„	China.	
13	C. muticum.	Reeve.	Ceylon.	
14	C. nebulosum.	„	„	„
15	C. oxygonum.	Sowerby.	China, &c.	
16	C. Pennantii.	Beck.	Exmouth, Devon.	
17	C. pseudo-lima.	Lamarck.	Zanzibar.	
18	C. pygmeum.	?	Britain.	
19	C. rugosum.	Lamarck.	Ceylon, &c.	
20	C. rusticum.	Linnæus.	Adriatic Sea.	
21	C. tenuicostatum.	Lamarck.	*a* New Holland.	Sir W. Denison.
			b Mauritius.	M. Robillard.
22	C. tumoriferum.	„	New Holland.	
23	C. unedo.	Linnæus.	*a* Rogers' Straits.	Sir W. Denison.
			b Ceylon, &c.	
24	C. vertebratum.	Jonas.	Australia.	

Family 17.—ISOCARDIIDÆ.

Genus.—ISOCARDIA. *Lamarck*, 1799.

1	I. vulgaris.	Reeve.	China.	

Family 18.—CHAMIDÆ.

Genus.—CHAMA. *Bruguière*, 1789.

1	C. multisquamosa.	Reeve.	Philippines.	

Family 19.—TRIDACNIDÆ.

Genus.—TRIDACNA. *Bruguière*, 1789.

1	T. Cumingii.	Reeve.	Andamans.	Lieut. McGoun.
2	T. elongata.	Lamarck.	*a* Australia.	Sir W. Denison.
			b Philippines.	

3 T. gigas.	Linnæus.	Indian and Pacific Seas.	Lieut. W. Norris.
4 T. squamosa.	Lamarck.	*a* Moluccas.	
		b Australia.*	Sir W. Denison.

GENUS.—HIPPOPUS. *Lamarck*, 1799.

1 H. maculatus.	Linnæus.	Eastern Seas.

ORDER 3.—LUCINACEA.

FAMILY 20.—LUCINIDÆ.

GENUS.—LUCINA. *Bruguière*, 1792.

1 L. exasperata.	Reeve.	Bay of Honduras.
2 L. ferruginosa.	Forbes and Hanley.	Britain.
3 L. flexuosa.	Donovan.	,,
4 L. tigerina.	Linnæus.	Bay of Honduras.

GENUS.—CORBIS. *Cuvier*, 1817.

1 C. fimbriata.	Linnæus.	Philippines.

FAMILY 21.—UNGULINIDÆ.

GENUS.—UNGULINA. *Daudin*, 1802.

1 U. alba.	Rang.	North Africa.
2 U. oblonga.	Lamarck.	,,

FAMILY 22.—ERYCINIDÆ.

GENUS.—KELLIA. *Turton*, 1822.

1 K. rubra.	Turton.	Britain.

GENUS.—GALEOMMA. *Turton*, 1825.

1 G. ambigua.	Deshayes.	Philippines.

FAMILY 23.—SOLEMYADÆ. *Deshayes.*

GENUS.—SOLEMYA. *Lamarck*, 1818.

1 S. Australis.	Lamarck.	Australia.

FAMILY 24.—CRASSATELLIDÆ. *Gray.*

GENUS.—CRASSINA. *Lamarck*, 1818.

1 C. compressa.	Macgillivray.	Scotland.
2 C. fusca.	Poli.	Mediterranean.
3 C. sulcata.	DaCosta.	Britain.

GENUS.—CRASSATELLA. *Lamarck*, 1799.

1 C. Kingicola.	Lamarck.	King Island, New Holland.
2 C. rostrata.	,,	Ceylon.

Genus.—CARDITA. *Bruguière*, 1789.

1	C. antiquata. ?	Linnæus.	Madras.	
2	C. radula.	Reeve.	Hab. ?	
3	C. variegata.	Bruguière.	Reunion.	M. Robillard.

Family 25.—UNIONIDÆ.

Sub-Family 1.—UNIONINÆ.

Genus.—UNIO. *Retzius*, 1788.

1	U. alatas.	Lamarck.	Rocky River.	
2	U. Anadontoides.	Lea.	North America.	
3	U. Arcæformis.	„	Tennessee.	
4	U. cariosa.	Say.	North America.	
5	U. cælatus.	Conrad.	„	
6	U. cæruleus.	Lea.	*a* River Hooghly.	
			b Sinde.	Mr. W. T. Blanford.
7	U. circulus.	„	Wabash.	
8	U. complanatus.	Deshayes.	Massachusetts.	
9	U. compressus.	Lea.	Hab. ?	
10	U. Congaræus.	„	South Carolina.	
11	U. Conradicus.	„	Hab. ?	
12	U. crassidens.	Lamarck.	North America.	
13	U. Cunninghamii.	?	Australia.	
14	U. cylindricus.	Say.	Wabash.	
15	U. cyphius.	Rafinesque.	„	
16	U. donaciformis.	Lea.	Ohio.	
17	U. electrinus.	Reeve.	„ Canal.	
18	U. elegans.	Lea.	North America.	
19	U. flavidens.	Benson.	Bengal.*	
20	U. generosus ?	Gould.	Pegu.	Mr. W.T. Blanford.
21	U. gibbosa.	Barnes.	India.	
22	U. gibbosus.	Rafinesque.	North America.	
23	U. glans.	Lea.	River Ohio.	
24	U. gracilis.	Barnes.	Ohio.	
25	U. Grayana.	Lea.	China.	
26	U. Haysianus.	„	Tenessee.	
27	U. heterodon.	„	Schuylkil Lake, North America.	
28	U. hopetonensis.	„	North America.	
29	U. infucatus.	Conrad.	Georgia.	
30	U. intermedius.	„	Tennessee.	

31	U. interruptus.	Rafinesque.	Tennessee.	M.J.L.Laporte
32	U. irroratus.	Lea.	North America.	
33	U. lachrymosus.	„	Ohio.	
34	U. lanceolatus.	„	Virginia.	
35	U. ligamentinus.	Lamarck.	Ohio.	
36	U. littoralis.	Cuvier.	Garonne.	M.J.L.Laporte
37	U. luteolus.	Lamarck.	Ohio.	
38	U. maculatus.	Conrad.	Carolina.	
39	U. margaritiferus.	Linnæus.	Hab. ?	
40	U. marginalis.	Lamarck.	*a* Bengal. *b* Madras.**	
41	U. metanever.	Rafinesque.	Ohio.	
42	U. multiradiata.	Lea.	„	
43	U. occidens.	„	Susquehana.	
44	U. ochraceus.	Say.	New York.	
45	U. parma.	Benson.	Tenasserim.	
46	U. patula.	Lea.	Ohio.	
47	U. planulatus.	„	Hab. ?	
48	U. pugio.	Benson.	Pegu.	Mr. W.T.Blan-ford.
49	U. pustulosus.	Lea.	North America.	
50	U. pyramidatus.	„	„	
51	U. Rangianus.	„	Ohio River.	
52	U. rectus.	Lamarck.	Mississippi.	
53	U. Requiemi.	Michaud.	Garonne.	M.J.L.Laporte
54	U. rotundatus.	Lamarck.	Louisiana ?	
55	U. rubiginosus.	Lea.	Ohio.	
56	U. Shepardianus.	„	Georgia.	
57	U. Shurtleffianus.	„	Lower Nerbudda.	Mr.W.T.Blan-ford.
58	U. simus.	„	North America.	
59	U. sinuatus.	Lamarck.	Garonne.	
60	U. Sowerbianus.	Lea.	Tennessee.	
61	U. splendidus.	„	North America.	
62	U. sulcatus.	„	Ohio.	
63	U. triangularis.	Barnes.	„	
64	U. triembolus.	Benson.	Bengal.	Mr.W.T. Blanford.
65	U. trigonus.	Lea.	North America.	
66	U. Troostensis.	„	Tennessee.	
67	U. tuberculatus.	Barnes.	Salt River, North America.	
68	U. valentinus.	Rossmaestri.	Albufera, Spain.	

69 U. Wynegungaensis.	Lea.	*a* Cortalai River.***	
		b River Godavery.	Mr.W.T.Blanford.
70 U. sp ? (near lævirostris.)	Benson.	Calcutta.	,,

GENUS.—MARGARITANA. *Schumacher*, 1817.

1 M. rugosa.	Lea.	North America.

SUB-GENUS.—ALASMODONTA. *Say*, 1820.

1 A. marginata.	Say.	Massachusetts.

GENUS.—ANODONTA. *Cuvier*, 1798.

1 A. anatina.	Linnæus.	Bordeaux.	M.J.L.Laporte
2 A. cataracta.	Say.	River Hudson, U. States.	
3 A. Cumingii.	Lea.	Malacca.	
4 A. cygnea.	Linnæus.	Bordeaux.	M J.L.Laporte.
5 A. fluviatilis.	Lea.	North America.	
6 A. Louisiana.	,,	Erie Canal.	
7 A. piscinalis.	Draparnaud.	Gironde.	M.J.L.Laporte.
8 A. trapezialis.	Lamarck.	Hab. ?	
9 A. undulata.	?	Westfeild.	

GENUS.—PSEUDODON. *Gould*, 1844.

1 P. inoscularis.	Gould.	Hab. ?

SUB-FAMILY 3.—IRIDINÆ.

GENUS.—IRIDINA. *Lamarck*, 1819.

1 I. McMoorkii.	Gould.	Hab. ?

GENUS.—HYRIA. *Lamarck*, 1819.

1 H. corrugata.	Lamarck.	Hab. ?

GENUS.—CASTALIA. *Lamarck*, 1819.

1 C. ambigua.	Sowerby.	River Amazon.

FAMILY 26.—ÆTHERIIDÆ.

GENUS.—ÆTHERIA. *Lamarck*, 1808.

1 Æ. semilunata.	Lamarck.	West Africa.

FAMILY 27.—MYTILIDÆ.

GENUS.—MYTILUS. *Linnæus*, 1758.

1 M. edulis.	Linnæus.	*a* North Atlantic Shores.*	M.J.L.Laporte
,, (young.)	,,	*b* ,, ,,	
		c Britain.	

2 M. latus.	Lamarck.	*a* New Zealand.	
„ (young.)	„	*b* Madras.**	
3 M. ungulatus.	Linnæus.	Chili.	

Genus.—MODIOLA. *Lamarck*, 1799.

1 M. arcuatula.	Hanley.	Malacca.	
2 M. barbata.	Lamarck.	Britain.	
3 M. emarginatus.	Benson.	Calcutta.	
4 M. marmorata.	Forbes.	Britain.	
5 M. Metcalfei.	Hanley.	Island of Radock.	M. Robillard.
6 M. modiolus.	Linnæus.	Britain.	
7 M. Philippinarum.	Hanley.	Philippines.*	
8 M. plicatula.	Lamarck.	United States.*	

Genus.—LITHODOMUS. *Cuvier*, 1817.

1 L. antillarum.	Philippi.	West Indies.	
2 L. gracilis.	„	Malacca.	

Family 28.—AVICULIDÆ.

Genus.—AVICULA. *Lamarck*, 1799.

1 A. fucata.	Gould.	Japan.	
2 A. margaratifera.	Linnæus.	*a* Ceylon.	
		b Isld. of Reunion.	M. Robillard.
		c Port Blair, Andamans.	Dr. Gamach.
		d Madras.*	

Genus.—PERNA. *Bruguière*, 1792.

1 P. dentifera.	?	Isld. of Reunion.	M. Robillard.
2 P. Morillardi.	?	„	„

Genus.—MALLEUS. *Lamarck*, 1799.

1 M. anatinus.	Lamarck.	Moluccas.	
2 M. vulgaris.	Linnæus.	China Seas.*	

Genus.—CRENATULA. *Lamarck*, 1802.

1 C. nigrina.	Lamarck.	Red Sea.	

Genus.—PINNA. *Linnæus*, 1758.

1 P. bicolor.	Chemnitz.	Malacca.	
2 P. Japonica.	Hanley.	Japan.*	
3 P. nigra.	Chemnitz.	*a* South Seas, &c.	
		b Tahiti.	Sir W. Denison.
4 P. Rumphii.	Hanley.	Moluccas.	
5 P. saccata.	Linnæus	Sandwich Islds.	

Order 4.—PECTINACEA. *H. and A. Adams.*

Family 1.—TRIGONIIDÆ.

Genus.—TRIGONIA. *Bruguière*, 1789.

1	T. margaratacea.	Lamarck.	Tasmania.	

Family 2.—ARCIDÆ.

Genus.—ARCA. *Lamarck*, 1799.

1	A. decussata.	Reeve.	Tahiti.	Sir W. Denison
2	A. disparilis.	„	Malacca.	
3	A. fusca.	Bruguière.	Singapore.	
4	A. gibbosa.	Reeve.	Hab. ?	
5	A. granosa.	Linnæus.	*a* Philippines.	
			b Madras.	
6	A. holoserica.	Reeve.	Kingsmill Island.	M. Robillard.
7	A. inflata.	„	„	
8	A. lactea.	Linnæus.	*a* Britain.	
			b Dalmatia.	
9	A. pexata.	Say.	Massachusetts.	
10	A. rhombea.	Born.	Madras.	
11	A. tortuosa.	Linnæus.	*a* Singapore.	
			b Madras.	
12	A. velata.	Sowerby.	*a* Pacific Ocean.	
			b Madras.	
13	A. volucris.	Reeve.	Malacca.	

Genus.—SCAPHULA. *Benson*, 1834.

1	S. delta.	W.T.Blanford.	Pegu.	Mr. W.T. Blanford.

Genus.—CUCULLÆA. *Lamarck.*

1	C. concamerata.	Martini.	Indian Ocean.	

Genus.—PECTUNCULUS. *Lamarck*, 1801.

1	P. parcipictus.	Reeve.	Hab. ?	
2	P. tenuicostatus.	„	*a* Australia.	
			b Madras.	

Family 3.—NUCULIDÆ.

Genus.—NUCULA. *Lamarck*, 1799.

1	N. nucleus.	Turton.	Britain.	
1	N. radiata.	Hanley.	„	

Genus.—LEDA. *Schumacher*, 1817.

1	L. caudata.	Donovan.	Britain.	

Family 4.—PECTENIDÆ.

Genus.—PECTEN. *Bruguière*, 1789.

1	P. asperrimus.	Lamarck.	Australia.	
2	P. ballota.	?	New Caledonia.	M. Robillard.
3	P. flabelloides.	Reeve.	*a* Moluccas.	
			b Madras.*	
4	P. histrionicus.	Gmelin.	Ceylon.	
5	P. irradians.	Lamarck.	Mediterranean.	
6	P. Jacobæus.	Linnæus.	*a* Mediterranean.	
			b Atlantic.	M.J.L.Laporte
7	P. maximus.	„	*a* Britain.	
			b Atlantic. ?	M.J.L.Laporte
8	P. niveus.	Macgillivray.	Scotland.	
9	P. opercularis.	Linnæus, var.	*a b* & *c* Britain, &c.*	
10	P. pallium.	„	Pacific&EasternSeas.	
11	P. plica.	„	Ceylon.*	
12	P. pleuronectes.	„	*a* China.*	
			b Negapatam.*	
13	P. radula.	„	Philippines.	
14	P. senatorius.	Gmelin.	Moluccas, &c.*	
15	P. Singaporinus.	Sowerby.	Singapore.	
16	P. tigrinus.	Müller.	Britain.	
17	P. Tranquebaricus.	Gmelin.	Chikulcoody, N. of Pulicat.***	
18	P. varius.	Linnæus.	Seas of Europe.*	M.J.L.Laporte
19	P. ventricosus.	Sowerby.	St. Elena, W. Columbia.	
20	P. ziczac.	Linnæus.	Red Sea.	

Genus.—LIMA. *Bruguière*, 1792.

1	L. aperta.	Sowerby.	Britain.	
2	L. fragilis.	Chemnitz.	Kingsmill Island.	M. Robillard.
3	L. Loscombii.	Leach.	Britain.	
4	L. squamosa.	Lamarck.	„	

Genus.—PEDUM. *Bruguière*, 1792.

1	P. spondyloideum.	Bruguière.	Red Sea.

Genus.—SPONDYLUS. *Lamarck*, 1809.

1	S. unicolor.	Sowerby	Hab. ?	
2	S. sp. ?	?	Cargados Island.	M. Robillard.

Genus.—PLICATULA. *Lamarck*, 1801.

1	P. ramosa.	Reeve.	China.

FAMILY 5.—ANOMIIDÆ.

GENUS.—ANOMIA. *Linnæus*, 1767.

1	A. ? sp.	?	Philippines.

GENUS.—PLACUNANOMIA. *Broderip*, 1832.

1	P. alope.	Gray.	California.

GENUS.—PLACUNA. *Lamarck*, 1799.

1	P. placenta.	Linnæus.	Indian Ocean.*
2	P. sella.	Gmelin.	„

FAMILY 6.—OSTREIDÆ.

GENUS.—VULSELLA. *Lamarck*, 1799.

1	V. spongiarum.	Lamarck.	S. Australia.

GENUS.—OSTREA. *Linnæus*, 1758.

1	O. edulis ?	Linnæus.	Hab. ?
2	O. rosacea.	Deshayes.	Africa.

CLASS V.—BRACHIOPODA. *Dumeril*, 1806.

FAMILY 1.—TEREBRATULIDÆ. *D'Orbigny.*

GENUS.—TEREBRATULA. *Lwyd*, 1698.

1	T. caput-serpentis.	Linnæus.	Britain.

FAMILY 3.—RHYNCHONELLIDÆ. *D'Orbigny.*

GENUS.—RHYNCHONELLA. *Fischer*, 1809.

1	R. psittacea.	Chemnitz.	North Seas.

FAMILY 7.—CRANIADÆ. *D'Orbigny.*

GENUS.—CRANIA. *Retzius*, 1781.

1	C. anomala.	Müller.	North Atlantic.

FAMILY 8.—ORBICULIDÆ. *D'Orbigny.*

GENUS.—ORBICULA. *Cuvier*, 1798.

1	O. lamellosa.	Broderip.	Peru.

FAMILY 9.—LINGULIDÆ.

GENUS.—LINGULA. *Bruguière*, 1789.

1	L. anatina.	Lamarck.	Philippines.

ALPHABETICAL INDEX OF GENERA.

	Page.
ACHATINA	47
Achatinella	46
Acmæ	35
Adamsiella	57
Ætheria	71
Alasmodonta	71
Alcadia	58
Alexia	53
Alycæus	54
Amphibola	51
Amphidesma	63
Ampullacera	51
Ampullaria	28
Anatina	60
Ancillaria	10
Ancylus	51
Anodonta	71
Anomia	75
Anostoma	42
Aplustrum	35
Aplysia	36
Arca	73
Argonauta	1
Arinia	56
Asaphis	62
Aspergillum	59
Assiminia	58
Atys	35
Auricula	53
Avicula	72
BALEA	49
Bankivia	33
Barnea	59
Bithynia	28
Boysia	42
Buccinum	6
Bulimus	43
Bulla	35
Bullæa	36
Bullia	6
CÆCUM	28
Calyptræa	29
Cancellaria	23
Capsa	63
Cardita	69
Cardium	67
Carinaria	2
Carychium	53
Cassidaria	13
Cassidula	53
Cassis	13
Castalia	71
Cataulus	56
Cemoria	34
Cerithidea	24
Cerithium	23
Chama	67
Chamostrea	61
Chemnitzia	16
Chenopus	20
Chilina	50
Chiton	35
Chitonellus	35
Choanopoma	56
Circe	65
Clanculus	33
Clausilia	49
Clavagella	59
Cleodora	2
Columbella	12
Concholepas	9
Conus	16
Corbis	68
Corbula	60
Crania	75
Crassatella	68
Crassina	68
Cremnobates	26
Crenatula	72
Crepidula	29
Crucibulum	29
Cucullæa	73
Cultellus	60
Cumingia	63
Cyclas	66
Cyclophorus	55
Cyclostomus	57
Cyclotopsis	56
Cyclotus	54
Cylindrella	48
Cyllene	6
Cymbium	11
Cypræa	20
Cypricardia	66
Cyprina	66
Cyrena	66
Cyrtulus	4
Cytherea	64
DACTYLINA	59
Delphinula	32
Dentalium	34

	Page.
Dermatocera	56
Diacria	2
Dione	64
Diplommatina	54
Dolabella	36
Dolium	13
Donax	63
Dosinia	65
Eburna	7
Elenchus	33
Emarginula	34
Ennea	42
Erato	12
Eulima	16
Fasciolaria	10
Ficula	13
Fissurella	34
Fusus	3
Gadinea	34
Galatea	63
Galeomma	68
Gastrochæna	59
Geomelania	53
Georissa	58
Glauconoma	66
Glycimeris	60
Haliotis	33
Haminea	35
Harpa	12
Helicina	58
Helix	36
Hipponyx	29
Hippopus	68
Hyalæa	2
Hybocistis	55
Hydatina	35
Hydrocena	57
Hyria	71
Ianthina	2
Iphiginea	63
Iridina	71
Isocardia	67
Kellia	68
Lacuna	26
Leda	73
Leptoconchus	9
Leptopoma	56
Leptoxis	25
Leuconia	53
Lima	74
Limax	50
Limnæa	50
Lingula	72

	Page.
Lithodomus	72
Littorina	25
Loligo	1
Lucidella	58
Lucina	68
Lucinopsis	63
Lutraria	62
Lyonsia	61
Machæra	60
Mactra	61
Magilus	9
Malleus	72
Margarita	33
Margaritana	71
Marginella	12
Martesia	59
Megalomastoma	56
Megaspira	49
Melampus	52
Melania	24
Melanopsis	25
Meroë	65
Mesodesma	63
Mitra	11
Modiola	72
Monoceros	9
Monodonta	33
Monoptygma	16
Morula	9
Murex	2
Mya	60
Myochama	61
Myodora	61
Mytilus	71
Narica	29
Nassa	7
Natica	14
Nautilus	1
Navicella	31
Neæra	61
Nerita	30
Neritina	30
Neritopsis	29
Novaculina	60
Nucula	73
Octopus	1
Odostomia	16
Oleacina	47
Oliva	9
Omphalotropis	58
Oniscia	13
Opisthoporus	54
Opisthostoma	55
Orbicula	75
Ostrea	75
Otopoma	57
Ovulum	23

Page.

PALUDINA 27
Paludomus 27
Pandora 61
Panopæa 60
Parmacella 50
Parmophorus 34
Partula 45
Patella 34
Pecten 74
Pectunculus 73
Pedum 74
Perna 72
Persona 5
Petricola 66
Pharus 60
Phasianella 31
Pholadidea 59
Pholas 59
Phorus 29
Phos 6
Physa 51
Pileopsis 29
Pinna 72
Pirena 25
Pisidium 66
Placuna 75
Placunanomia 75
Planaxis 26
Planorbis 51
Pleurobranchus 36
Pleurotoma 4
Plicatula 74
Pomatias 57
Proserpina 53
Psammobia 62
Psammotella 62
Pseudodon 71
Pterocera 19
Pterocyclos 54
Pupa 48
Pupina 56
Purpura 7
Pusionella 15
Pyramidella 15
Pyrula 4
Pythia 52

QUOYIA 27

RANELLA 5
Rangia 8
Rhynchonella 75
Ricinula 8
Ringicula 16
Rissoa 27
Rostellaria 20
Rotella 32

SANGUINOLARIA 62
Saxicava 60

Page.

Scalaria 15
Scaphula 73
Scrobicularia 63
Sigaretus 15
Siliquaria 29
Siphonaria 51
Solarium 16
Solecurtus 60
Solemya 68
Solen 60
Soletellina 62
Spiraxis 47
Spirula 1
Spondylus 74
Stoastoma 58
Stomatella 33
Streptaxis 42
Strombus 18
Struthiolaria 20
Stylifer 16
Succinea 50

TAPES 65
Tectura 34
Telescopium 24
Tellina 62
Terebellum 20
Terebra 15
Terebratula 75
Teredo 59
Thracia 61
Tornatella 35
Trichotropis 23
Tridacna 67
Trigonia 73
Triton 4
Trochatella 58
Trochiscus 33
Trochita 29
Trochus 32
Truncatella 53
Tudora 57
Turbinella 10
Turbo 31
Turritella 28

UMBRELLA 36
Ungulina 68
Unio 69

VALVATA 28
Velutina 14
Venerupis 66
Venus 64
Vermetus 29
Vertagus 24
Vitrina 50
Voluta 11
Vulsella 75

ZIZYPHINUS 33

ERRATA.

Page 52, *for* Ariculdiæ *read* Ariculidæ.

„ 65 „ Merœ „ Meroë.

„ 68 *opposite* 1 G. Ambigua *Black mark.*